

BRL-K668/03
01-02-2012

Evaluation guideline

for the Kiwa product certificate for
Shower hoses for sanitary tapware



Preface

This evaluation guideline has been accepted by the board of experts CWK of Kiwa, in which the parties concerned in the sector Drinkingwater appliances are being represented. This Board of Experts also supervises the certification activities and where necessary requires the evaluation guideline to be revised. All references to Board of Experts in this evaluation guideline pertain to the above mentioned Board of Experts.

This evaluation guideline will be used by Kiwa in conjunction with the Kiwa-Regulations for Product Certification. This regulation details the method employed by Kiwa for conducting the necessary investigations prior to issuing the product certificate and the method of external control.

This evaluation guideline is to be assessed by the Board of Experts at least every 5 years, but at the latests before February 1st, 2017.

Kiwa N.V.
Sir W. Churchill-laan 273
PO Box 70
2280 AB RIJSWIJK
the Netherlands

Tel. +31.70 414 44 00
Fax +31.70 414 44 20
www.1kiwa.com

© 2012 Kiwa Nederland B.V.

All rights reserved. No part of this book may be reproduced, stored in a database or retrieval system, or published, in any form or in any way, electronically, mechanically, by print, photoprint, microfilm or any other means without prior written permission from the publisher.

The use of this evaluation guideline by third parties, for any purpose whatsoever, is only allowed after a written agreement is made with Kiwa to this end.

Validation

This evaluation guideline has been validated by Kiwa on 1 February 2012.

Contents

1	Introduction	1
1.1	General	1
1.2	Field of application / scope	1
1.3	Acceptance of test reports provided by the supplier	1
1.4	Quality declaration	1
2	Terms and definitions	2
3	Procedure for granting the quality declaration	3
3.1	Pre certification tests	3
3.2	Granting the quality declaration	3
4	Requirements and test methods	4
4.1	General	4
4.2	Product requirements and test methods	4
4.3	Materials	4
5	Marking	5
5.1	Certification mark	5
6	Requirements in respect of the quality system	6
6.1	Manager of the quality system	6
6.2	Internal quality control/quality plan	6
6.3	Procedures and working instructions	6
7	Summary of tests and inspections	7
7.1	Test matrix	7
7.2	Inspection of the quality system	7
8	Agreements on the implementation of certification	8
8.1	General	8
8.2	Certification staff	8
8.3	Report Pre certification tests	9
8.4	Decision for granting the certificate	9
8.5	Lay out of quality declaration	9
8.6	Nature and frequency of external inspections	9
8.7	Interpretation of requirements	9
9	Titles of standards	10
I	Model certificate	11
II	Model IQC-scheme	12

1 Introduction

1.1 General

This evaluation guideline includes all relevant requirements which are adhered to by Kiwa as the basis for the issue and maintenance of a certificate for Shower hoses for sanitary tapware.

This evaluation guideline replaces BRL-K668/02, dated 6 October 2009.

For the performance of its certification work, Kiwa is bound to the requirements as included in the clause 4.6 "conditions and procedures for granting, maintaining, extending, suspending and withdrawing certification" of EN45011.

1.2 Field of application / scope

The shower hoses may be used in tap water installations with a maximum working pressure of 1000 kPa. The recommended limits for correct operation are a dynamic pressure between 100 kPa and 500 kPa and a water temperature of maximum 65°C. Occasional use with water temperatures up to 95°C are permitted if limited to 1 hour maximum. Using the products in water installations with a continuous temperature higher than 65°C is possible. However, this may influence the durability of some parts.

1.3 Acceptance of test reports provided by the supplier

When by the manufacturer reports from test Institutions or laboratories are produced in order to demonstrate that the product meets the requirements of this evaluation guideline, the institute or laboratory shall meet one of the applicable accreditation norms, being;

- NEN-EN-ISO/IEC 17025 for laboratories;
- NEN-EN-ISO/IEC 17020 for inspection bodies;
- NEN-EN 45011 for certification bodies certifying products;

This requirement is being considered to be fulfilled when a certificate of accreditation can be shown, either issued by the Board of Accreditation (RvA) or one of the institutions with which the RvA an agreement of mutual acceptance has been concluded.

The accreditation shall refer to the examination as required in this BRL. When no certificate of accreditation can be shown, Kiwa will verify whether the accreditation norm is fulfilled.

1.4 Quality declaration

The quality declarations to be issued by Kiwa are described as Kiwa product certificate. A model of the certificate to be issued on the basis of this Evaluation Guideline has been included as an Annex.

2 Terms and definitions

In this evaluation guideline the following terms and definitions are applicable:

Evaluation Guideline: the agreements made within the Board of Experts on the subject of certification.

Board of Experts: The Board of Experts "CWK".

Supplier: the party that is responsible for ensuring that the products meet and continue to meet the requirements on which the certification is based.

IQC scheme: a description of the quality inspections carried out by the supplier as part of his quality system.

Product requirements: requirements made specific by means of measures or figures, focusing on (identifiable) characteristics of products and containing a limiting value to be achieved, which limiting value can be calculated or measured in an unequivocal manner.

Pre-certification tests: tests in order to ascertain that all the requirements recorded in the Evaluation Guideline are met.

Inspection tests: tests carried out after the certificate has been granted in order to ascertain whether the certified products continue to meet the requirements recorded in the Evaluation Guideline.

Remark

The test matrix contains a summary showing what tests Kiwa will carry out in the pre-certification stage and in the event of inspections as well as showing the frequency with which the inspection tests will be carried out.

Product certificate: a document, in which Kiwa declares that a product may, on delivery, be deemed to comply with the product specification recorded in the product certificate.

Tap water (origin Drinking Water Directive): water intended for drinking, cooking, food preparation or other domestic purposes.

Working pressure (p_w): the highest pressure occurring in the drinking water appliance or in the parts of it, under normal circumstances.

Pressure: the effective pressure (P_e), the difference between the absolute pressure (P) and the surrounding pressure (P_{amb}). Expressed as a formula: $P_e = P - P_{amb}$.
The pressure is indicated in kPa.

3 Procedure for granting the quality declaration

3.1 Pre certification tests

The pre certification-tests to be performed are based on the (product) requirements as included in this evaluation guideline including the test methods and contain, depending on the nature of the product to be certified:

- type testing to determine whether the products comply with the product and/or functional requirements,
- Production Process Assessment
- Assessment of the quality system and the IQC-scheme,
- Assessment on the presence and functioning of the remaining procedure

3.2 Granting the quality declaration

After finishing the pre-certification tests the results are presented to the person deciding on granting of certificate. This person evaluates the results and decides whether the certificate can be granted or additional data and/or tests are necessary.

4 Requirements and test methods

4.1 General

This chapter contains the requirements the shower heads and hand showers for sanitary tapware have to fulfil. These requirements will make part of the technical specification of the products, as included in the certificate.

4.2 Product requirements and test methods

The requirements the product shall meet, with the exception of those included in article 0 and **Error! Reference source not found.**, have been laid down in the following standard:

EN 1113 "Sanitary tapware - Shower hoses for sanitary tapware for water supply systems of type 1 and type 2 - General technical specification", March 2008

4.3 Materials

4.3.1 *Requirements to avoid deterioration of the quality of the drinking water*

Products and materials, which (may) come into contact with drinking water or warm tap water, shall not release substances in quantities which can be harmful to the health of the consumer or negatively affect the quality of the drinking water. Therefore, the products or materials shall meet the toxicological, microbiological and organoleptic requirements as laid down in the valid "Ministerial Regulation materials and chemicals drinking water and warm tap water supply" (published in the Government Gazette). Consequently the procedure for obtaining a recognised quality declaration, as specified in the valid Regulation, has to be concluded with positive results.

Products and materials with a quality declaration*, e.g. issued by a foreign certification institute, are allowed to be used in the Netherlands, provided that the Minister has declared this quality declaration equivalent to the quality declaration as meant in the Regulation.


4.3.2 *Corrosion resistance*

All materials shall be corrosion resistant or be protected against corrosion. The materials used may not have an adverse effect on each other to generate contact corrosion.

* A quality declaration issued by an independent certification institute in another member state of the European Community than the Netherlands or another state party to the agreement to the European Economic Area, is equivalent to a recognised quality declaration, to the extent that, to the judgment of the Minister of the first mentioned quality declaration, is fulfilled the at least equivalent requirements as meant in the Regulation materials and chemicals drinking water- and warm tap water supply.

5 Marking

5.1 Certification mark

After concluding a Kiwa certification agreement, the certified products shall be indelible marked with the certification mark **KIWA**  or the abbreviated mark KK fitted in a rectangle.

The packaging may be provided with the following mark



6 Requirements in respect of the quality system

This chapter contains the requirements which have to be met by the supplier's quality system.

6.1 Manager of the quality system

Within the supplier's organizational structure an employee must have been appointed who is in charge of managing the supplier's quality system.

6.2 Internal quality control/quality plan

The supplier shall have an internal quality control scheme (IQC scheme) which is applied by him.

The following must have been demonstrably recorded in this IQC scheme:

- what aspects are checked by the producer;
- according to what methods such inspections are carried out;
- how often these inspections are carried out;
- in what way the inspection results are recorded and kept.

This IQC scheme should at least be an equivalent derivative of the model IQC scheme included in the addendum.

6.3 Procedures and working instructions

The supplier shall be able to submit the following:

- procedures for:
 - dealing with products showing deviations;
 - corrective actions to be taken if non-conformities are found;
 - dealing with complaints about products and/or services delivered;
- the working instructions and inspection forms used.

7 Summary of tests and inspections

This chapter contains a summary of the following tests and inspections to be carried out in the event of certification:

- Pre-certification tests;
- Inspection test as to toxicological requirements and product requirements;
- Inspection of the quality system.

The frequency with which Kiwa will carry out inspection tests is also stated in the summary.

7.1 Test matrix

Description of requirement	Article BRL	Tests within the scope of		
		Pre-certification	Supervision by Kiwa after granting of certificate ¹⁾	frequency (no./year)
			inspection ²⁾	
Material	BRL-K668			
Emission of toxic substances by the used materials	4.3.1	X	X	2
Resistance against corrosion	4.3.2	X	X	2
Design	EN 1113			
Marking and identification	5	X	X	2
Dimensions	7	X	X	2
Functional requirements	EN 1113			
• flow rate	8	X	X	2
• tensile strength	9.2	X	X	2
• resistance against bending	9.3	X		
• resistance against high temperatures	9.4	X		
• watertightness after 9.3 and 9.4	9.5	X		
• thermal shock test	9.6	X		
• rotary connection	10	X		
Marking	BRL-K668			
Certification mark	5.1	X	X	2

¹⁾ In case of significant changes of the product or production process, compliance of the product to the performance requirements shall be determined

²⁾ Inspections as indicated are to be conducted by the inspector or by the manufacturer, whether or not in presence of the inspector.

7.2 Inspection of the quality system

The quality system will be checked by Kiwa on the basis of the IQC scheme.

The inspection contains at least those aspects mentioned in the Kiwa Regulations for Product certification.

8 Agreements on the implementation of certification

8.1 General

Beside the requirements included in these evaluation guidelines, also the general rules for certification as included in the Kiwa Regulations for Product Certification apply.

These rules are in particular

- The general rules for conducting the pre-certification tests, to be distinguished in:
 - the way suppliers are to be informed about an application is being handled,
 - how the test are conducted,
 - the decision to be taken as a result of the pre certification tests.
- The general directions for conducting inspections and the aspects to be audited,
- The measurements to be taken by Kiwa in case of Non Conformities,
- Measurements taken by Kiwa in case of improper Use of Certificates, Certification Marks, Pictograms and Logos,
- Terms for termination of the certificate,
- The possibility to lodge an appeal against decisions of measurements taken by Kiwa.

8.2 Certification staff

The staff involved in the certification may be sub-divided into:

- certification experts: they are in charge of carrying out the pre-certification tests and assessing the inspectors' reports;
- inspectors: they are in charge of carrying out external inspections at the supplier's works;
- decision-makers: they are in charge of taking decisions in connection with the pre-certification tests carried out, continuing the certification in connection with the inspections carried out and taking decisions on the need to take corrective actions.

8.2.1 Qualification requirements

The following qualification requirements have been set by the Board of Experts for the subject matter of this Evaluation Guideline:

EN45011	Certification Expert	Inspector	Decision maker
Education - general	<ul style="list-style-type: none"> • Technical higher-level professional education • Internal training certification and Kiwa policy • Training auditing 	<ul style="list-style-type: none"> • Intermediate-level professional education • Internal training certification and Kiwa policy • Training auditing 	<ul style="list-style-type: none"> • Higher level professional education • Internal training certification and Kiwa policy • Training auditing
Education - specific	<ul style="list-style-type: none"> • for BRL relevant technical education • specific studies and training (know-how and skills) 	<ul style="list-style-type: none"> • for BRL relevant technical education • specific studies and training (know-how and skills) 	<ul style="list-style-type: none"> • not applicable unless specific requirements have been specified by the BoE
Experience - general	<ul style="list-style-type: none"> • 1 year of relevant work experience with at least 4 pre certification tests of which one carried out independent under supervision. 	<ul style="list-style-type: none"> • 1 year of relevant work experience with at least 4 inspections of which one carried out independent under supervision 	<ul style="list-style-type: none"> • 4 year of relevant work experience with at least 1 year in certification

EN45011	Certification Expert	Inspector	Decision maker
Experience - specific	<ul style="list-style-type: none"> Detailed knowledge of the BRL and 4 certification tests carried out on the basis of the BRL or one related. 	<ul style="list-style-type: none"> Detailed knowledge of the BRL and 4 inspections carried out on the basis of the BRL or one related. 	<ul style="list-style-type: none"> general knowledge of the BRL

The level of education and the experience of the certification staff involved should be demonstrably recorded.

8.2.2 Qualification

The qualification of the Certification staff shall be demonstrated by means of assessing the education and experience to the requirements mentioned before. In case staff is to be qualified on the basis of deflecting criteria, written records shall be kept.

The authority to qualify staff is dedicated to:

- decision makers: qualification of certification experts and inspectors,
- Management of Kiwa: qualification of decision makers.

8.3 Report Pre certification tests

Kiwa records the results of the pre certification tests in a report. This report shall comply with the following requirements:

- completeness: the reports verdicts about all requirements included in the evaluation guideline,
- traceability: the findings on which the verdicts have been based shall be recorded traceable,
- basis for decision: the decision maker shall be able to base his decision on the findings included in the report.

8.4 Decision for granting the certificate

The decision for granting the certificate shall be made by a qualified decision maker which has not been involved in the pre certification tests. The decision shall be recorded traceable.

8.5 Lay out of quality declaration

The product certificate shall conform the model included as an annex

8.6 Nature and frequency of external inspections

The certification body shall carry out Audits at the supplier at regular intervals to check whether the supplier complies with his obligations. About the frequency of inspections the Board of Experts decides. At the time this Evaluation Guideline took effect, the frequency was set at number of 2 inspection visits per year.

Inspections shall at least refer to:

- The suppliers IQC-scheme and the results obtained from inspections carried out by the supplier,
- The correct way of marking of certified products
- Complying with required procedures.

The results of each inspection shall be traceable recorded in a report.

8.7 Interpretation of requirements

The Board of Experts may record the interpretation of requirements of these evaluation guidelines in one separate interpretation document.

9 Titles of standards

Number	Title
NEN 1006	Algemene voorschriften voor leidingwater installaties
EN 1113	Sanitary tapware - Shower hoses for sanitary tapware for water supply systems of type 1 and type 2 - General technical specification", March 2008
EN 248	Sanitary tapware. General technical specifications for electrodeposited nickel chrome coatings
ISO 2409	Paints and varnishes. Cross cut test

I Model certificate

Certificate	Product certificate KXXXXXX/0X	 Partner for progress
	Issued	
	Replaces	
	Page 1 of 2	
	Shower hoses for sanitary tapware	
	STATEMENT BY KIWA With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by Name supplier complying with the technical specifications as laid down in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate, on delivery, may be relied upon to comply with Kiwa evaluation guideline BRL-K668 "Shower hoses for sanitary tapware", dated 2012-02-01.	
	 Bouke Meekma Kiwa	
	Publication of the certificate is allowed. Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.	
 Kiwa Nederland B.V. Sir W. Churchill-laan 273 Postbus 70 2280 AB RIJSWIJK The Netherlands Tel. +31 70 414 44 00 Fax +31 70 414 44 20 E-mail info@kiwa.nl www.kiwa.nl	Supplier	Certification process consists of initial and regular inspection of: <ul style="list-style-type: none">• quality system• product

II Model IQC-scheme

Subjects	Aspects	Method	Frequency	Registration
Raw materials or materials supplied: <ul style="list-style-type: none"> • Recipe sheets • Incoming inspection raw materials 				
Production process, production equipment, material: <ul style="list-style-type: none"> • procedures • work instructions • equipment • release of product 				
Finished-products				
Measuring and testing equipment <ul style="list-style-type: none"> • measuring equipment • calibration 				
Logistics <ul style="list-style-type: none"> • internal transport • storage • preservation • packaging • identification or marking of semifinished and finished products 				