



Product certificate K-0213365-3

Issued 2024-11-01

Replaces K-0213365-2

Page 1 of 3

Sanitary Tapware; single taps and combination taps

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Villeroy & Boch AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRLK652:2022 "Sanitary tapware; single taps and combination taps",

which includes the requirements of

NEN-EN 200:2008 "Sanitary tapware – Single taps and combination taps for water supply systems of type 1 and type 2 – General technical specification".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.com

Company

Villeroy & Boch AG
Saarfer Straße 1-3
D-66693 Mettlach
Germany
+49 (0) 6864 81 4834
www.villeroy-boch.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Sanitary Tapware; single taps and combination taps

PRODUCT SPECIFICATION

The products mentioned below belong to this-product certificate:

Series	Article Number	Type	Production Location
Subway 3.0	TVW112005000xx	3-hole basin mixer	2
Subway 3.0	TVW112006000xx	Pillar tap	2
Antao	TVW1110010xx	3-hole basin mixer	2

The colour code (xx) of the above mixers can be as follows:

- 61 Chrome
- K5 Matt black
- 64 Brushed nickel
- 76 Brushed gold

Series	Article Number	Type	Production Location
Dawn	TVW106130151XX	Deck mounted basin mixer	4
Dawn	TVW106120152XX	Deck mounted basin mixer	4
Dawn	TVW106130152XX	Deck mounted basin mixer	4
Dawn	TVW106120151XX	Deck mounted basin mixer	4
Dawn	TVW10610B15000	Concealed basin mixer	4
Dawn	TVW10613A151XX	Concealed basin mixer	4
Dawn	TVW10612A152XX	Concealed basin mixer	4
Dawn	TVW10610B15000	Concealed basin mixer	4
Dawn	TVW10613A152XX	Concealed basin mixer	4
Dawn	TVW10612A151XX	Concealed basin mixer	4
Dawn	TVW10610B15200	Concealed 2 handle wash basin mixer	4
Dawn	TVW106132153XX	Basin mixer handle set	4
Dawn	TVT106505151XX	Spout for concealed wash basin mixer	4
Dawn	TVT106505152XX	Spout for concealed wash basin mixer	4
Dawn	TVT106505153XX	Spout for concealed wash basin mixer	4
Dawn	TVT107002000XX	Spout for concealed wash basin mixer	4
Dawn	TVZ106001000XX	Deck mounted 3-hole basin mixer without waste	4
Loop & Friends	TVZ106009000XX	Deck mounted 3-hole basin mixer without waste	4
Loop & Friends	TVW106130153XX	Deck mounted basin mixer	4
Loop & Friends	TVW106120153XX	Deck mounted basin mixer	4
Loop & Friends	TVW106183153XX	2-handle basin mixer	4
Liberty	TVW107007000XX	Deck mounted 3-hole basin mixer without waste	4
Liberty	TVW107002000XX	Single tap without pop-up waste	4

The colour code (xx) of the above mixers can be as follows:

- 61 Chrome

Sanitary Tapware; single taps and combination taps

Fitness for contact with drinking water

These products are approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

APPLICATION AND USE

Sanitary tapware; single taps and mixing taps are designed for application within the following limits of use:

A static working pressure of maximum 1000 kPa and a maximum water temperature of 90 °C; The recommended limits for correct operation are a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65 °C.

MARKING

The Kiwa®-mark products are marked with the word mark and watermark logo " KIWA  "

Place of the mark: on the body

Compulsory specifications:

- Name or mark of manufacturer, on the body;
- Indication for temperature selection, on the handle;
- The acoustic group, if classified, on the body;
- The flow rate class, on the body.

Method of marking:

- Non-erasable;
- Visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Villeroy & Boch AG

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.