



## Product certificate K1024/07

Issued 2024-04-15

Replaces K1024/06

Page 1 of 2

### Antiprex® AD 2020 S

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Solenis Switzerland GmbH

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with the Kiwa Guideline BRL-K15003 "Evaluation Guideline for the Kiwa product certificate for products used for treatment and/or production of drinking water", dated 25-10-2016.

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

**Kiwa Nederland B.V.**  
Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
NL.Kiwa.info@Kiwa.com  
[www.kiwa.nl](http://www.kiwa.nl)

**Company**  
Solenis Switzerland GmbH  
Mühlentalstrasse 38  
8200 Schaffhausen  
Switzerland  
Tel. +41 (0) 78 689 71 61  
[www.solenis.com](http://www.solenis.com)

**Sales Office**  
Solenis NL  
De Corridor 4  
3621 ZB Breukelen  
The Netherlands

**Distribution centre**  
Solenis Bergen op Zoom  
Van Konijnenburgweg 107  
4612 PL BERGEN OP ZOOM  
The Netherlands



**Certification process  
consists of initial and  
regular assessment of:**

- quality system
- product

## PRODUCT SPECIFICATION

This certificate covers antiscalant with the brand name 'Antiprex® AD 2020 S'.

## PRODUCT REQUIREMENTS

The products as described in this certificate comply with BRL K15003, including the requirements as specified in NEN-EN 15039: Chemicals used for treatment of water intended for human consumption – Antiscalants for membranes – Polycarboxylic acids and salts.

### Fitness for contact with drinking water


This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.


## MARKING

The Kiwa®-mark products are marked with the word mark "KIWA  in ink or seal

Location of the mark:

- On the packaging / On the delivery receipt.

### Mandatory marks:

- "kiwa ";
- "Antiprex® AD 2020 S";
- "K1024".

## APPLICATION AND USE

'Antiprex® AD 2020 S' is an antiscalant for desalination plants for the preparation of water intended for human consumption, using:

- distillation;
- reversed-osmosis membranes.

The dosage of 'Antiprex® AD 2020 S' to feedwater is 5 mg/l at maximum.

## RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Solenis Switzerland GmbH
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

Check whether this certificate is still valid by consulting [www.kiwa.nl](http://www.kiwa.nl).