



Product certificate K11292/25

Issued 2023-04-15

Replaces K11292/24

Page 1 of 6

Thermostatic mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Hansgrohe SE

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K610 "Thermostatic mixers" dated 01-02-2012.

which covers the requirements of

EN 1111: "Sanitary tapware; Thermostatic mixing valves (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company
Hansgrohe SE
Auestrasse 5-9
77761 SCHILTACH
Germany
Tel. 7836 51-0
info@hansgrohe.com
www.hansgrohe.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Thermostatic mixers

Technical specification

The products mentioned below belong to this product certificate;

Hansgrohe

series ECOSTAT 1001 SL

13 241 xxx	thermostatic bath/ shower mixer
13 261 xxx	thermostatic shower mixer

series ECOSTAT 1001 SL Care

13 282 xxx	thermostatic shower mixer
13 284 xxx	thermostatic bath/ shower mixer

series ECOSTAT E

13 125 xxx	thermostatic shower mixer
13 145 xxx	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 700 xxx	Ecostat E
15 705 xxx	Ecostat E
15 707 xxx	Ecostat E
15 708 xxx	Ecostat E
15 710 xxx	Ecostat E
15 720 xxx	Ecostat E

series ECOSTAT S

13 235 xxx	thermostatic shower mixer
13 245 xxx	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 701 xxx	Ecostat S
15 711 xxx	Ecostat S
15 715 xxx	Ecostat S
15 721 xxx	Ecostat S
15 755 xxx	Ecostat E
15 757 xxx	Ecostat E
15 758 xxx	Ecostat S
15 790 xxx	Ecostat S Care

series HANSGROHE

01800180	i-Box Universal concealment set,	
in combination with:		
15 722 xxx	Puro	bath/ shower finish set
15 731 xxx	Mediano S	shower finish set
15 732 xxx	Mediano S	shower finish set
15 733 xxx	Mediano S	bath/ shower finish set
15 751 xxx	Classic	shower finish set
15 752 xxx	Classic	shower finish set
15 753 xxx	Classic	bath/ shower finish set
15 754 xxx	Classic	shower finish set
15 770 xxx	PuraVida	shower finish set
15 771 xxx	PuraVida	bath/ shower finish set
15 772 xxx	PuraVida	shower finish set
15 775 xxx	PuraVida	shower finish set
31 570 xxx	Metris E2	shower finish set
31 571 xxx	Metris E2	shower finish set
31 572 xxx	Metris E2	shower finish set
31 573 xxx	Metris E2	bath/ shower finish set

series PICTA Comfort

13 715 xxx
13 714 xxx

series PICTA Comfort

13 715 xxx
13 714 xxx

series FOX

14 244 xxx
14 246 xxx

series FOX

14 244 xxx
14 246 xxx

The products above have been tested according to EN1111:1998.

Thermostatic mixers

series ECOSTAT Comfort

13 120 xxx	thermostatic shower mixer
13 121 xxx	thermostatic bath/shower mixer
13 114 xxx	thermostatic bath/shower mixer
13 116 xxx	thermostatic shower mixer

series ECOSTAT Comfort Care

13 115 xxx	thermostatic bath/shower mixer
13 117 xxx	thermostatic shower mixer

series ECOSTAT Select

13 141 xxx	thermostatic bath/shower mixer
13 161 xxx	thermostatic shower mixer
30 164 918	thermostatic shower mixer

series ShowerTablet Select

13 151 xxx	thermostatic bath/shower mixer
13 171 xxx	thermostatic shower mixer

series Raindance PowderRain

30 730 418	thermostatic shower mixer
------------	---------------------------

series ShowerTablet Select 700

13 183 xxx	thermostatic bath/shower mixer
13 184 xxx	thermostatic mixer with 2 universal outlets

series Vernis Blend& Shape

26 079 xxx	Shower pipe , consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 089 xxx	Shower pipe, consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 097 xxx	Shower pipe, consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 098 xxx	Shower pipe, consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 274 xxx	Shower pipe, consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 276 xxx	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower
26 284 xxx	Shower pipe consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 286 xxx	Shower pipe consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower
26 318 xxx	Shower pipe consist of:

series ECOSTAT Universal

13 122 xxx	thermostatic shower mixer
13 111 xxx	thermostatic shower mixer

series ECOSTAT Puro

13 148 xxx	thermostatic bath/shower mixer
13 232 xxx	thermostatic shower mixer

series ECOSTAT Comfort HQ

13 112 xxx	thermostatic bath/shower mixer
13 714 xxx	thermostatic bath/shower mixer
13 138 xxx	thermostatic bath/shower mixer
14 442 xxx	thermostatic bath/shower mixer
13 113 xxx	thermostatic shower mixer
15 368 xxx	thermostatic shower mixer
13 715 xxx	thermostatic shower mixer
13 137 xxx	thermostatic shower mixer
13 288 xxx	thermostatic shower mixer
14 642 xxx	thermostatic shower mixer

series ECOSTAT Comfort Nordic

13 118 xxx	thermostatic bath/shower mixer
13 119 xxx	thermostatic shower mixer

Thermostatic mixers

	30356218 Thermostatic mixer and Riser Pipe
	26281 Head shower
	26270 Hand shower
26 319 xxx	Shower pipe consist of:
	30356218 Thermostatic mixer and Riser Pipe
	26281 Head shower
	26270 Hand shower
26 426 xxx	Shower pipe, consist of:
	30356217 Thermostatic mixer and Riser Pipe
	30306167 Over Head Shower
	30331887 Hand Shower
26 427 xxx	Shower pipe consist of:
	30360017 Thermostatic mixer and Riser Pipe
	30306267 Overhead Shower
	30331887 Hand Shower
26 428 xxx	Shower pipe consist of
	30356227 Thermostatic mixer and Riser Pipe
	30306367 Overhead Shower
	32331887 Hand Shower
26 429 xxx	Shower pipe consist of
	30360027 Thermostatic mixer and Riser Pipe
	30306467 Overhead Shower
	32331887 HandShower
26 899 xxx	Shower pipe consist of
	30356367 Thermostatic mixer and Riser Pipe
	30306167 OverHead Shower
	30331887 HandShower
26 900 xxx	Shower pipe consist of
	30360167 Thermostatic mixer and Riser
	Pipe
	30306267 OverHead Shower
	30331887 HandShower
series Pulsify	
24360000	Bath mixer

The products above have been tested according to EN1111:2017.

Thermostatic mixers

AXOR

series BOUROULLEC

01800180	i-Box Universal concealment set, in combination with:
19 700	finish set
19 702	finish set
19 704	finish set
19 706	bath/ shower finish set

series CARLTON

17 241 xxx	thermostatic bath/ shower mixer
17 261 xxx	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
17 700 xxx	shower finish set
17 705 xxx	shower finish set
17 710 xxx	shower finish set
17 712 xxx	shower finish set
17 715 xxx	shower finish set
17 716 xxx	shower finish set
17 720 xxx	bath/ shower finish set
17 725 xxx	bath/ shower finish set

series CITTERIO

39 365 xxx	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
39 700 xxx	thermostatic mixer - concealed
39 705 xxx	thermostatic mixer - concealed
39 710 xxx	thermostatic mixer - concealed
39 711 xxx	shower finish set
39 715 xxx	thermostatic mixer – concealed
39 716 xxx	shower finish set
39 720 xxx	bath/ shower finish set
39 725 xxx	bath/ shower finish set

series CITTERIO M

01800180	i-Box Universal concealment set, in combination with:
34 705 xxx	shower finish set
34 715 xxx	shower finish set
34 716 xxx	shower finish set
34 725 xxx	bath/shower finish set

series MASSAUD

01800180	i-Box Universal concealment set, in combination with:
18 740 xxx	shower finish set
18 741 xxx	shower finish set
18 745 xxx	shower finish set
18 750 xxx	bath/ shower finish set

series URQUIOLA

01800180	i-Box Universal concealment set, in combination with:
11 730 xxx	finish set
11 731 xxx	finish set
11 732 xxx	finish set
11 733 xxx	bath/ shower finish set

series MONTREUX

16 241 xxx	thermostatic bath/ shower mixer
16 261 xxx	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
16 800 xxx	shower finish set
16 810 xxx	shower finish set
16 815 xxx	shower finish set
16 820 xxx	bath/ shower finish set

series STARCK

01800180	i-Box Universal concealment set, in combination with:
10 700 xxx	shower finish set
10 710 xxx	shower finish set
10 715 xxx	shower finish set
10 720 xxx	bath/ shower finish set

series STARCK X

01800180	i-Box Universal concealment set, in combination with:
10 706 xxx	shower finish set
10 716 xxx	shower finish set
10 717 xxx	shower finish set
10 726 xxx	bath/ shower finish set

series STEEL

01800180	
35 700 xxx	shower finish set
35 710 xxx	shower finish set
35 715 xxx	shower finish set
35 720 xxx	bath/ shower finish set

series TERRANO

37 241 xxx	37 241 xxx
37 261 xxx	37 261 xxx
01800180	01800180
37 700 xxx	37 700 xxx
37 705 xxx	37 705 xxx
37 710 xxx	37 710 xxx
37 711 xxx	37 711 xxx
37 715 xxx	37 715 xxx

series UNO

01800180	i-Box Universal concealment set, in combination with:
38 715 xxx	shower finish set
38 375 xxx	shower finish set
38 700 xxx	shower finish set
38 720 xxx	bath/ shower finish set

Thermostatic mixers

series URQUIOLA

11 422 000 roman tub set

series CITTERIO E

36 140 xxx thermostatic bath/ shower mixer

36 160 xxx thermostatic shower mixer

series CITTERIO M

34 435 xxx thermostatic bath/ shower mixer

34 635 xxx thermostatic bath/ shower mixer

series ONE

45 711 xxx Module for concealed installation,1 outlet

45 712 xxx Module for concealed installation,2 outlets

45 713 xxx Module for concealed installation,3 outlets

series STARCK Organic

12 410 xxx thermostatic bath/ shower mixer

12 602 xxx thermostatic shower mixer

The products above have been tested according to EN1111:2017.

The colour code (xxx) of the mentioned mixers can be as follows:

-02	Polished Chrome PVD
-13	Polished Bronze PVD
-14	Brushed Bronze PVD
-25	Brushed Gold Optic PVD
-26	Brushed Chrome PVD
-28	Black Glossy, Powder coated
-29	Black Matt, Powder coated
-30	Polished Red gold PVD
-31	Brushed Red gold PVD
-33	Polished Black Chrome PVD
-34	Brushed Black Chrome PVD
-35	Real Gold, Galvanic
-36	Black Matt, Wet coating
-47	Black Glossy, Wet coating
-51	White Glossy, Powder coated
-53	White Matt , Powder coated
-54	White Glossy , Wet coating
-55	White Matt, Wet coating
-66	Polished Steel Optic PVD
-80	Brushed Steel Optic PVD
-82	Brushed Nickel PVD
-83	Polished Nickel PVD
-99	Polished Gold Optic PVD
-670	Black Matt, Powder coated
-670	Black Matt, Wet coating
-700	White Matt, Powder coated
-700	White Matt, Wet coating

Thermostatic mixers

Remark

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 01 July 2017, as specified in clause 4.2.2.1 of the Kiwa Evaluation guideline BRL-K610.

Application and use

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90°C. The recommended limits for correct operation are: a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65°C.

Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication for temperature selection: on the control device;
- the acoustic group, if classified: on the body;
- the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.