

Product certificate K11610-8

Issued 2025-01-01

Replaces K11610/07

Page 1 of 8

Metal fittings for plastic piping systems

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Herz Armaturen Ges.m.b.H

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K536E "Plastics piping systems of PE-X/ Al intended for transport of hot and cold drinking water", dated 15-12-2011, including amendment sheet dated 13-03-2018.

Ron Scheepers
Kiwa

*This product certificate is only valid in combination with a Kiwa certified plastics piping system.
Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.*

CERTIFICATE

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

Herz Armaturen Ges.m.b.H.
Richard-Strauss-Straße 22
1230 Wien
Austria
Tel. +43 1 616 26 31-0
Fax +43 1 616 26 31-227
office@herz.eu
www.herz.eu



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Metal fittings for Plastic Piping systems

PRODUCT SPECIFICATION

PRESS FITTINGS ACCORDING TO BRL-K536E (PE-X/Al) and K536G (PE-RT/Al)

Straight coupling

P701000 -- 10 x 1,3 - 10 x 1,3
 P700900 -- 14 x 1.25 - 14 x 1,25
 P701400 -- 14 x 2 - 14 x 2
 P701500 -- 15 x 1.5 - 15 x 1,5
 T701600 -- 16 x 2 - 16 x 2
 P701600 -- 16 x 2 - 16 x 2
 P701700 -- 17 x 2 - 17 x 2
 P701803 -- 18 x 2 - 15 x 1,5 (reducing)
 P701800 -- 18 x 2 - 18 x 2
 P701900 -- 18 x 2,5 - 18 x 2,5
 T702000 -- 20 x 2 - 20 x 2
 P702000 -- 20 x 2 - 20 x 2
 P702001 -- 20 x 2 - 16 x 2 (reducing)
 T702100 -- 20 x 2,5 - 20 x 2,5
 P702100 -- 20 x 2,5 - 20 x 2,5
 P702500 -- 25 x 2,3/2,5 - 25 x 2,3/2,5
 P702400 -- 25 x 3,5 - 25 x 3,5
 T702600 -- 26 x 3 - 26 x 3
 P702600 -- 26 x 3 - 26 x 3
 T703200 - 32 x 3 - 32 x 3
 P703200 - 32 x 3 - 32 x 3
 T704000 -- 40 x 3,5 - 40 x 3,5
 P704000 -- 40 x 3,5 - 40 x 3,5

Straight coupling, reducing

P701601 -- 16 x 2 - 14 x 2
 P701801 -- 18 x 2 - 14 x 2
 P701802 -- 18 x 2 - 16 x 2
 P702003 -- 20 x 2 - 14 x 2
 T702001 -- 20 x 2 - 16 x 2
 P702001 -- 20 x 2 - 16 x 2
 P702002 -- 20 x 2 - 18 x 2
 P702102 -- 20 x 2,5 - 14 x 2
 T702103 -- 20 x 2,5 - 16 x 2
 P702103 -- 20 x 2,5 - 16 x 2
 P702501 -- 25 x 2,5 - 16 x 2
 P702501 -- 25 x 2,5 - 16 x 2
 P702502 -- 25 x 2,5 - 18 x 2
 P702503 -- 25 x 2,5 - 20 x 2
 P702401 -- 25 x 3,5 - 16 x 2
 P702402 -- 25 x 3,5 - 20 x 2,5
 T702601 -- 26 x 3 - 16 x 2
 P702601 -- 26 x 3 - 16 x 2
 P702605 -- 26 x 3 - 18 x 2
 T702602 -- 26 x 3 - 20 x 2
 P702602 -- 26 x 3 - 20 x 2
 T702604 -- 26 x 3 - 20 x 2,5
 P702604 -- 26 x 3 - 20 x 2,5
 T703201 -- 32 x 3 - 16 x 2
 P703201 -- 32 x 3 - 16 x 2
 P703207 -- 32 x 3 - 18 x 2
 T703202 -- 32 x 3 - 20 x 2
 P703202 -- 32 x 3 - 20 x 2
 T703205 -- 32 x 3 - 20 x 2,5
 P703205 -- 32 x 3 - 20 x 2,5
 P703203 -- 32 x 3 - 25 x 2,5

Straight coupling with external thread

P700911 -- 14 x 1.25 - ½"
 P701011 -- 10 x 1,3 - R½"
 P701411 -- 14 x 2 - R½"
 P701511 -- 15 x 1.5 - ½"
 T701611 -- 16 x 2 - R½"
 P701611 -- 16 x 2 - R½"
 P701811 -- 18 x 2 - R½"
 P701812 -- 18 x 2 - R¾"
 T702011 -- 20 x 2 - R½"
 P702011 -- 20 x 2 - R½"
 T702012 -- 20 x 2 - R¾"
 P702012 -- 20 x 2 - R¾"
 T702111 -- 20 x 2,5 - R½"
 P702111 -- 20 x 2,5 - R½"
 T702112 -- 20 x 2,5 - R¾"
 P702112 -- 20 x 2,5 - R¾"
 P702512 -- 25 x 2,5 - R¾"
 P702513 -- 25 x 2,5 - R1"
 P702412 -- 25 x 3,5 - R¾"
 P702413 -- 25 x 3,5 - R1"
 T702612 -- 26 x 3 - R¾"
 P702612 -- 26 x 3 - R¾"
 P702613 -- 26 x 3 - R1"
 T703213 -- 32 x 3 - R1"
 P703213 -- 32 x 3 - R1"
 T703214 -- 32 x 3 - R1¼"
 P703214 -- 32 x 3 - R1¼"
 T704013 -- 40 x 3,5 - R1"
 P704013 -- 40 x 3,5 - R1"
 T704014 -- 40 x 3,5 - R1¼"
 P704014 -- 40 x 3,5 - R1¼"

Straight coupling with internal thread

P701021 -- 10 x 1,3 - Rp½"
 P701421 -- 14 x 2 - Rp½"
 P701521 -- 15 x 1.5 - ½"
 T701621 -- 16 x 2 - Rp½"
 P701621 -- 16 x 2 - Rp½"
 P701821 -- 18 x 2 - Rp½"
 P701822 -- 18 x 2 - Rp¾"
 T702021 -- 20 x 2 - Rp½"
 P702021 -- 20 x 2 - Rp½"
 T702022 -- 20 x 2 - Rp¾"
 P702022 -- 20 x 2 - Rp¾"
 T702121 -- 20 x 2,5 - Rp½"
 P702121 -- 20 x 2,5 - Rp½"
 T702122 -- 20 x 2,5 - Rp¾"
 P702122 -- 20 x 2,5 - Rp¾"
 P702522 -- 25 x 2,5 - Rp¾"
 P702523 -- 25 x 2,5 - Rp1"
 P702422 -- 25 x 3,5 - Rp¾"
 P702423 -- 25 x 3,5 - Rp1"
 T702622 -- 26 x 3 - Rp¾"
 P702622 -- 26 x 3 - Rp¾"
 T702623 -- 26 x 3 - Rp1"
 P702623 -- 26 x 3 - Rp1"

Metal fittings for Plastic Piping systems

P703204 – 32 x 3 – 25 x 3,5
 T703206 – 32 x 3 – 26 x 3
 P703206 – 32 x 3 – 26 x 3
 P704001 – 40 x 3,5 – 25 x 2,5
 T704002 – 40 x 3,5 – 26 x 3
 P704002 – 40 x 3,5 – 26 x 3
 T704003 – 40 x 3,5 – 32 x 3
 P704003 – 40 x 3,5 – 32 x 3

Press coupling

P701600_1 - 16x2,2
 P701200 - 12x2

Elbow 90°

P711000 – 10 x 1,3 – 10 x 1,3
 P711400 – 14 x 2 – 14 x 2
 P711500 -- 15 x 1,5 – 15 x 1,5
 T711600 -- 16 x 2 - 16 x 2
 P711600 -- 16 x 2 - 16 x 2
 P711800 – 18 x 2 – 18 x 2
 P711900 – 18 x 2,5 – 18 x 2,5
 T712000 -- 20 x 2 - 20 x 2
 P712000 -- 20 x 2 - 20 x 2
 T712100 – 20 x 2,5 – 20 x 2,5
 P712100 – 20 x 2,5 – 20 x 2,5
 P712500 – 25 x 2,5 – 25 x 2,5
 P712400 – 25 x 3,5 – 25 x 3,5
 T712600 – 26 x 3 – 26 x 3
 P712600 – 26 x 3 – 26 x 3
 T713200 – 32 x 3 – 32 x 3
 P713200 – 32 x 3 – 32 x 3
 T714000 – 40 x 3,5 – 40 x 3,5
 P714000 – 40 x 3,5 – 40 x 3,5

Elbow 90° with external thread

P711411 -- 14 x 2 - R $\frac{1}{2}$ "
 P711511 -- 15 x 1,5 - $\frac{1}{2}$ "
 T711611 -- 16 x 2 - R $\frac{1}{2}$ "
 P711611 -- 16 x 2 - R $\frac{1}{2}$ "
 P711811 -- 18 x 2 - R $\frac{1}{2}$ "
 T712011 -- 20 x 2 - R $\frac{1}{2}$ "
 P712011 -- 20 x 2 - R $\frac{1}{2}$ "
 T712012 -- 20 x 2 - R $\frac{3}{4}$ "
 P712012 -- 20 x 2 - R $\frac{3}{4}$ "
 T712111 -- 20 x 2,5 - R $\frac{1}{2}$ "
 P712111 -- 20 x 2,5 - R $\frac{1}{2}$ "
 T712112 -- 20 x 2,5 - R $\frac{3}{4}$ "
 P712112 -- 20 x 2,5 - R $\frac{3}{4}$ "
 P712512 -- 25 x 2,5 - R $\frac{3}{4}$ "
 P712412 -- 25 x 3,5 - R $\frac{3}{4}$ "
 T712612 -- 26 x 3 - R $\frac{3}{4}$ "
 P712612 -- 26 x 3 - R $\frac{3}{4}$ "
 T713213 -- 32 x 3 - R1
 P713213 -- 32 x 3 - R1"
 T714014 -- 40 x 3,5 - R1 $\frac{1}{4}$ "
 P714014 -- 40 x 3,5 - R1 $\frac{1}{4}$ "

T703223 – 32 x 3 – Rp1"
 P703223 – 32 x 3 – Rp1"
 T703224 – 32 x 3 – Rp1 $\frac{1}{4}$ "
 P703224 – 32 x 3 – Rp1 $\frac{1}{4}$ "
 T704023 – 40 x 3,5 – Rp1"
 P704023 – 40 x 3,5 – Rp1"
 T704024 – 40 x 3,5 - Rp1 $\frac{1}{4}$ "
 P704024 – 40 x 3,5 - Rp1 $\frac{1}{4}$ "

Elbow 45°

P712501 -- 25 x 2,5
 P712401-- 25 x 3,5
 T712601 -- 26 x 3
 P712601 -- 26 x 3
 T713201 -- 32 x 3
 P713201 -- 32 x 3
 T714001 -- 40 x 3,5
 P714001 -- 40 x 3,5

Tees with similar connections

P721000 – 10 x 1,3
 P721400 – 14 x 2
 P721500 -- 15 x 1,5
 T721600 -- 16 x 2
 P721600 -- 16 x 2
 P721800 – 18 x 2
 T722000 -- 20 x 2
 P722000 -- 20 x 2
 T722100 – 20 x 2,5
 P722100 – 20 x 2,5
 P722500 – 25 x 2,5
 P722400 – 25 x 3,5
 T722600 – 26 x 3
 P722600 – 26 x 3
 T723200 – 32 x 3
 P723200 – 32 x 3
 T724000 – 40 x 3,5
 P724000 – 40 x 3,5

Tees with external thread

T721651 -- 16 x 2 - R $\frac{1}{2}$ " - 16 x 2
 P721651 -- 16 x 2 - R $\frac{1}{2}$ " - 16 x 2
 P721851 – 18 x 2 - R $\frac{1}{2}$ " – 18 x 2
 T722051 -- 20 x 2 - R $\frac{1}{2}$ " - 20 x 2
 P722051 -- 20 x 2 - R $\frac{1}{2}$ " - 20 x 2
 T722052 -- 20 x 2 - R $\frac{3}{4}$ " - 20 x 2
 P722052 -- 20 x 2 - R $\frac{3}{4}$ " - 20 x 2
 T722151 – 20 x 2,5 - R $\frac{1}{2}$ " – 20 x 2,5
 P722151 – 20 x 2,5 - R $\frac{1}{2}$ " – 20 x 2,5
 T722152 -- 20 x 2,5 - R $\frac{3}{4}$ " – 20 x 2,5
 P722152 -- 20 x 2,5 - R $\frac{3}{4}$ " – 20 x 2,5
 P722551 – 25 x 2,5 - R $\frac{1}{2}$ " – 25 x 2,5
 P722552 – 25 x 2,5 - R $\frac{3}{4}$ " - 25 x 2,5
 P722553 – 25 x 2,5 – R1" – 25 x 2,5
 P722451 – 25 x 3,5 - R $\frac{1}{2}$ " – 25 x 3,5
 P722452 – 25 x 3,5 - R $\frac{3}{4}$ " - 25 x 3,5
 P722453 – 25 x 3,5 – R1" – 25 x 3,5
 T722651 – 26 x 3 - R $\frac{1}{2}$ " – 26 x 3
 P722651 – 26 x 3 - R $\frac{1}{2}$ " – 26 x 3
 T722652 – 26 x 3 - R $\frac{3}{4}$ " – 26 x 3

Metal fittings for Plastic Piping systems

Elbow 90° with internal thread

P711421 -- 14 x 2 - Rp $\frac{1}{2}$ "
 T711621 -- 16 x 2 - Rp $\frac{1}{2}$ "
 P711621 -- 16 x 2 - Rp $\frac{1}{2}$ "
 P711821 -- 18 x 2 - Rp $\frac{1}{2}$ "
 T712021 -- 20 x 2 - Rp $\frac{1}{2}$ "
 P712021 -- 20 x 2 - Rp $\frac{1}{2}$ "
 T712022 -- 20 x 2 - Rp $\frac{3}{4}$ "
 P712022 -- 20 x 2 - Rp $\frac{3}{4}$ "
 T712121 -- 20 x 2,5 - Rp $\frac{1}{2}$ "
 P712121 -- 20 x 2,5 - Rp $\frac{1}{2}$ "
 T712122 -- 20 x 2,5 - Rp $\frac{3}{4}$ "
 P712122 -- 20 x 2,5 - Rp $\frac{3}{4}$ "
 P712522 -- 25 x 2,5 - Rp $\frac{3}{4}$ "
 P712422 -- 25 x 3,5 - Rp $\frac{3}{4}$ "
 T712622 -- 26 x 3 - Rp $\frac{3}{4}$ "
 P712622 -- 26 x 3 - Rp $\frac{3}{4}$ "
 T713223 -- 32 x 3 - Rp1"
 P713223 -- 32 x 3 - Rp1"
 T714024 -- 40 x 3,5 - Rp1 $\frac{1}{4}$ "
 P714024 -- 40 x 3,5 - Rp1 $\frac{1}{4}$ "

Tees with internal thread

T721641 -- 16 x 2 - $\frac{1}{2}$ " - 16 x 2
 P721641 -- 16 x 2 - $\frac{1}{2}$ " - 16 x 2
 P721841 -- 18 x 2 - R $\frac{1}{2}$ " - 18 x 2
 T722041 -- 20 x 2 - R $\frac{1}{2}$ " - 20 x 2
 P722041 -- 20 x 2 - $\frac{1}{2}$ " - 20 x 2
 T722042 -- 20 x 2 - R $\frac{3}{4}$ " - 20 x 2
 P722042 -- 20 x 2 - R $\frac{3}{4}$ " - 20 x 2
 T722141 -- 20 x 2,5 - R $\frac{1}{2}$ " - 20 x 2,5
 P722141 -- 20 x 2,5 - R $\frac{1}{2}$ " - 20 x 2,5
 T722142 -- 20 x 2,5 - R $\frac{3}{4}$ " - 20 x 2,5
 P722142 -- 20 x 2,5 - R $\frac{3}{4}$ " - 20 x 2,5
 P722541 -- 25 x 2,5 - R $\frac{1}{2}$ " - 25 x 2,5
 P722542 -- 25 x 2,5 - R $\frac{3}{4}$ " - 25 x 2,5
 P722544 -- 25 x 2,5 - R $\frac{3}{4}$ " - 25 x 2,5
 P722441 -- 25 x 3,5 - R $\frac{1}{2}$ " - 25 x 3,5
 P722443 -- 25 x 3,5 - R $\frac{1}{2}$ " - 20 x 3,5
 P722444 -- 25 x 3,5 - R $\frac{3}{4}$ " - 25 x 3,5
 T722641 -- 26 x 3 - R $\frac{1}{2}$ " - 26 x 3
 P722641 -- 26 x 3 - R $\frac{1}{2}$ " - 26 x 3
 T722642 -- 26 x 3 - R $\frac{3}{4}$ " - 20 x 2
 P722642 -- 26 x 3 - R $\frac{3}{4}$ " - 20 x 2
 T722643 -- 26 x 3 - R1" - 26 x 3
 P722643 -- 26 x 3 - R1" - 20 x 2,5
 T722644 -- 26 x 3 - Rp $\frac{3}{4}$ " - 26 x 3
 P722644 -- 26 x 3 - Rp $\frac{3}{4}$ " - 26 x 3
 T723243 -- 32 x 3 - Rp $\frac{1}{2}$ " - 32 x 3
 P723243 -- 32 x 3 - Rp $\frac{1}{2}$ " - 32 x 3
 T723241 -- 32 x 3 - Rp $\frac{3}{4}$ " - 32 x 3
 P723241 -- 32 x 3 - Rp $\frac{3}{4}$ " - 32 x 3
 T723242 -- 32 x 3 - Rp1" - 32 x 3
 P723242 -- 32 x 3 - Rp1" - 32 x 3
 T723244 -- 32 x 3 - Rp1 $\frac{1}{4}$ " - 32 x 3
 P723244 -- 32 x 3 - Rp1 $\frac{1}{4}$ " - 32 x 3
 P724041 -- 40 x 3,5 - R1" - 40 x 3,5
 P724041 -- 40 x 3,5 - R1" - 40 x 3,5
 T724042 -- 40 x 3,5 - R1 $\frac{1}{4}$ " - 40 x 3,5
 P724042 -- 40 x 3,5 - R1 $\frac{1}{4}$ " - 40 x 3,5

P722652 -- 26 x 3 - R $\frac{3}{4}$ " - 26 x 3
 T722653 -- 26 x 3 - R1" - 26 x 3
 P722653 -- 26 x 3 - R1" - 26 x 3
 T723251 -- 32 x 3 - R $\frac{3}{4}$ " - 32 x 3
 P723251 -- 32 x 3 - R $\frac{3}{4}$ " - 32 x 3
 T723252 -- 32 x 3 - R1" - 32 x 3
 P723252 -- 32 x 3 - R1" - 32 x 3
 T724052 -- 40 x 3,5 - R1" - 40 x 3,5
 P724052 -- 40 x 3,5 - R1" - 40 x 3,5
 P624053 -- 40 x 3,5 - R1 $\frac{1}{4}$ " - 40 x 3,5
 P724053 -- 40 x 3,5 - R1 $\frac{1}{4}$ " - 40 x 3,5

Tees with enlarged branch

P721401 -- 14 x 2 - 16 x 2 - 14 x 2
 P721605 -- 16 x 2 - 18 x 2 - 16 x 2
 T721603 -- 16 x 2 - 20 x 2 - 16 x 2
 P721603 -- 16 x 2 - 20 x 2 - 16 x 2
 T721606 -- 16 x 2 - 20 x 2,5 - 16 x 2
 P721606 -- 16 x 2 - 20 x 2,5 - 16 x 2
 P722005 -- 20 x 2 - 25 x 2,5 - 20 x 2
 T722006 -- 20 x 2 - 26 x 3 - 20 x 2
 P722006 -- 20 x 2 - 26 x 3 - 20 x 2
 P722113 -- 20 x 2,5 - 25x3,5 - 20 x 2,5
 T722104 -- 20 x 2,5 - 26 x 3 - 20 x 2,5
 P722104 -- 20 x 2,5 - 26 x 3 - 20 x 2,5
 P722510 -- 25 x 2,5 - 32 x 3 - 25 x 2,5
 P722408 -- 25 x 3,5 - 32 x 3 - 25 x 3,5
 T722617 -- 26 x 3 - 32 x 3 - 26 x 3
 P722617 -- 26 x 3 - 32 x 3 - 26 x 3
 T723210 -- 32 x 3 - 40 x 3,5 - 32 x 3
 P723210 -- 32 x 3 - 40 x 3,5 - 32 x 3

Tees with reduced passage

P721602 -- 16 x 2 - 14 x 2 - 14 x 2
 P721804 -- 18 x 2 - 16 x 2 - 14 x 2
 P721803 -- 18 x 2 - 16 x 2 - 16 x 2
 P722011 -- 20 x 2 - 14 x 2 - 16 x 2
 T722003 -- 20 x 2 - 16 x 2 - 16 x 2
 P722003 -- 20 x 2 - 16 x 2 - 16 x 2
 P722004 -- 20 x 2 - 18 x 2 - 18 x 2
 P722007 -- 20 x 2 - 16 x 2 - 18 x 2
 P722009 -- 20 x 2 - 20 x 2 - 14 x 2
 T722008 -- 20 x 2 - 20 x 2 - 16 x 2
 P722008 -- 20 x 2 - 20 x 2 - 16 x 2
 P722111 -- 20 x 2,5 - 14 x 2 - 16 x 2
 P722112 -- 20 x 2,5 - 16 x 2 - 14 x 2
 T722107 -- 20 x 2,5 - 16 x 2 - 16 x 2
 P722107 -- 20 x 2,5 - 16 x 2 - 16 x 2
 P722108 -- 20 x 2,5 - 20 x 2,5 - 14 x 2
 T722109 -- 20 x 2,5 - 20 x 2,5 - 16 x 2
 P722109 -- 20 x 2,5 - 20 x 2,5 - 16 x 2
 P722505 -- 25 x 2,5 - 16 x 2 - 20 x 2
 P722506 -- 25 x 2,5 - 20 x 2 - 16 x 2
 P722507 -- 25 x 2,5 - 20 x 2 - 20 x 2
 P722508 -- 25 x 2,5 - 25 x 2,5 - 16 x 2
 P722509 -- 25 x 2,5 - 25 x 2,5 - 20 x 2
 P722405 -- 25 x 3,5 - 20x2,5 - 20x2,5
 P722406 -- 25 x 3,5 - 20 x 2,5 - 16 x 2
 P722407 -- 25 x 3,5 - 16 x 2 - 20 x 2,5
 T722611 -- 26 x 3 - 16 x 2 - 20 x 2

Metal fittings for Plastic Piping systems

Tees with reducing branch

P721601 -- 16 x 2 - 14 x 2 - 16 x 2
 P721801 -- 18 x 2 - 14 x 2 - 18 x 2
 P721802 -- 18 x 2 - 16 x 2 - 18 x 2
 P722010 -- 20 x 2 - 14 x 2 - 20 x 2
 T722001 -- 20 x 2 - 16 x 2 - 20 x 2
 P722001 -- 20 x 2 - 16 x 2 - 20 x 2
 P722002 -- 20 x 2 - 18 x 2 - 20 x 2
 P722105 -- 20 x 2,5 - 14 x 2 - 20 x 2,5
 T722106 -- 20 x 2,5 - 16 x 2 - 20 x 2,5
 P722106 -- 20 x 2,5 - 16 x 2 - 20 x 2,5
 P722501 -- 25 x 2,5 - 16 x 2 - 25 x 2,5
 P722503 -- 25 x 2,5 - 18 x 2 - 25 x 2,5
 P722504 -- 25 x 2,5 - 20 x 2 - 25 x 2,5
 P722401 -- 25 x 3,5 - 16 x 2 - 25 x 3,5
 P722402 -- 25 x 3,5 - 20x2,5 - 25 x 3,5
 T722602 -- 26 x 3 - 20 x 2,5 - 26 x 3
 P722602 -- 26 x 3 - 20 x 2,5 - 26 x 3
 T722603 -- 26 x 3 - 16 x 2 - 26 x 3
 P722603 -- 26 x 3 - 16 x 2 - 26 x 3
 P722604 -- 26 x 3 - 18 x 2 - 26 x 3
 T722605 -- 26 x 3 - 20 x 2 - 26 x 3
 P722605 -- 26 x 3 - 20 x 2 - 26 x 3
 T723201 -- 32 x 3 - 16 x 2 - 32 x 3
 P723201 -- 32 x 3 - 16 x 2 - 32 x 3
 P723203 -- 32 x 3 - 18 x 2 - 32 x 3
 T723204 -- 32 x 3 - 20 x 2 - 32 x 3
 P723204 -- 32 x 3 - 20 x 2 - 32 x 3
 T723205 -- 32 x 3 - 20 x 2,5 - 32 x 3
 P723205 -- 32 x 3 - 20 x 2,5 - 32 x 3
 P723206 -- 32 x 3 - 25 x 2,5 - 32 x 3
 P723216 -- 32 x 3 - 25 x 3,5 - 32 x 3
 T723207 -- 32 x 3 - 26 x 3 - 32 x 3
 P723207 -- 32 x 3 - 26 x 3 - 32 x 3
 P724001 -- 40 x 3,5 - 25x2,5 - 40 x 3,5
 P724009 -- 40 x 3,5 - 25x3,5 - 40 x 3,5
 T724002 -- 40 x 3,5 - 26 x 3 - 40 x 3,5
 P724002 -- 40 x 3,5 - 26 x 3 - 40 x 3,5
 T724003 -- 40 x 3,5 - 32 x 3 - 40 x 3,5
 P724003 -- 40 x 3,5 - 32 x 3 - 40 x 3,5

End cap

P701510 -- 15 x 1,5

Screw coupling

P701581 -- 15 x 1,5 - 3/4"

Wall plate

P711531 -- 15 x 1,5 - 1/2"

Connection, Knee

P711591 -- 15 x 1,5 – 300 mm

P711592 -- 15 x 1,5 – 1100 mm

Connection, Tee

P721591 – 15 x 1,5 – 300 mm

P722611 -- 26 x 3 - 16 x 2 - 20 x 2
 T722620 -- 26 x 3 - 16 x 2 - 20 x 2,5
 P722620 -- 26 x 3 - 16 x 2 - 20 x 2,5
 P722618 -- 26 x 3 - 18 x 2 - 18 x 2
 P722612 -- 26 x 3 - 18 x 2 - 20 x 2
 T722613 -- 26 x 3 - 20 x 2 - 16 x 2
 P722613 -- 26 x 3 - 20 x 2 - 16 x 2
 T722614 -- 26 x 3 - 20 x 2 - 20 x 2
 P722614 -- 26 x 3 - 20 x 2 - 20 x 2
 T722619 -- 26 x 3 - 20 x 2,5 - 16 x 2
 P722619 -- 26 x 3 - 20 x 2,5 - 16 x 2
 T722608 -- 26 x 3 - 20 x 2,5 - 20 x 2,5
 P722608 -- 26 x 3 - 20 x 2,5 - 20 x 2,5
 T722609 -- 26 x 3 - 26 x 3 - 20 x 2,5
 P722609 -- 26 x 3 - 26 x 3 - 20 x 2,5
 T722616 -- 26 x 3 - 26 x 3 - 16 x 2
 P722616 -- 26 x 3 - 26 x 3 - 16 x 2
 T722615 -- 26 x 3 - 26 x 3 - 20 x 2
 P722615 -- 26 x 3 - 26 x 3 - 20 x 2
 T723211 -- 32 x 3 - 20 x 2 - 26 x 3
 P723211 -- 32 x 3 - 20 x 2 - 26 x 3
 T723212 -- 32 x 3 - 20 x 2,5 - 26 x 3
 P723212 -- 32 x 3 - 20 x 2,5 - 26 x 3
 P723217 -- 32 x 3 - 20 x 2,5 - 25 x 3,5
 P723208 -- 32 x 3 - 25 x 2,5 - 25 x 2,5
 P723218 -- 32 x 3 - 25 x 3,5 - 25 x 3,5
 T723209 -- 32 x 3 - 26 x 3 - 26 x 3
 P723209 -- 32 x 3 - 26 x 3 - 26 x 3
 T723215 -- 32 x 3 - 32 x 3 - 20 x 2
 P723215 -- 32 x 3 - 32 x 3 - 20 x 2
 T723213 -- 32 x 3 - 32 x 3 - 20 x 2,5
 P723213 -- 32 x 3 - 32 x 3 - 20 x 2,5
 P723219 -- 32 x 3 - 32 x 3 - 25 x 3,5
 T723214 -- 32 x 3 - 32 x 3 - 26 x 3
 P723214 -- 32 x 3 - 32 x 3 - 26 x 3
 T724004 -- 40 x 3,5 - 32 x 3 - 32 x 3
 P724004 -- 40 x 3,5 - 32 x 3 - 32 x 3
 P724005 -- 40 x 3,5 - 25 x 2,5 - 32 x 3
 P724010 -- 40 x 3,5 - 25 x 3,5 - 32 x 3
 P724006 -- 40 x 3,5 - 26 x 3 - 32 x 3
 P724011 -- 40 x 3,5 - 40 x 3,5 - 25 x 3,5
 T724007 -- 40 x 3,5 - 40 x 3,5 - 26 x 3
 P724007 -- 40 x 3,5 - 40 x 3,5 - 26 x 3
 T724008 -- 40 x 3,5 - 40 x 3,5 - 32 x 3
 P724008 -- 40 x 3,5 - 40 x 3,5 - 32 x 3

Metal fittings for Plastic Piping systems

Wall plates, short, internal thread

P711431 – 14 x 2 - Rp½"
T711631 -- 16 x 2 - Rp½"
P711631 -- 16 x 2 - Rp½"
P711831 – 18 x 2 - Rp½"
T712031 -- 20 x 2 - Rp½"
P712031 -- 20 x 2 - Rp½"
T712032 – 20 x 2 - Rp¾"
P712032 – 20 x 2 - Rp¾"
T712131 – 20 x 2,5 - Rp½"
P712131 – 20 x 2,5 - Rp½"
T712132 – 20 x 2,5 - Rp¾"
P712132 – 20 x 2,5 - Rp¾"
P712532 – 25 x 2,5 - Rp¾"
P712432 – 25 x 3,5 - Rp¾"
T712632 – 26 x 3 - Rp¾"
P712632 – 26 x 3 - Rp¾"

Wall plate, long, internal thread

P711441 – 14 x 2 - Rp½"
T711641 -- 16 x 2 - Rp½"
P711641 -- 16 x 2 - Rp½"
P711841 – 18 x 2 - Rp½"
T712041 -- 20 x 2 - Rp½"
P712041 -- 20 x 2 - Rp½"
T712141 – 20 x 2,5 - Rp½"
P712141 – 20 x 2,5 - Rp½"

Wall plate, short, double, internal thread

T711635 -- 16 x 2 - Rp½" - 16 x 2
P711635 -- 16 x 2 - Rp½" - 16 x 2
T711835 – 18 x 2 - Rp½" – 18 x 2
P711835 – 18 x 2 - Rp½" – 18 x 2
T712035 -- 20 x 2 - Rp½" - 20 x 2
P712035 -- 20 x 2 - Rp½" - 20 x 2
T712135 – 20 x 2,5 - Rp½" – 20 x 2,5
P712135 – 20 x 2,5 - Rp½" – 20 x 2,5

Wall plate, short, double (U), internal thread

T711636 – 16 x 2 - Rp½" - 16 x 2
P711636 – 16 x 2 - Rp½" - 16 x 2
T712036 – 20 x 2 - Rp½" - 20 x 2
P712036 – 20 x 2 - Rp½" - 20 x 2

Metal fittings for Plastic Piping systems

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate and comply to BRL-K536E and BRL-K536 H.

Straight coupling

1701000K0 -- 10 x 1,6
1701200K0 -- 12 x 1,6
1701500K0 -- 15 x 2
1701500K1 -- 15 x 2,5
1701600K0 -- 16 x 2,2
1702000K0 -- 20 x 2,8
1702200K0 -- 22 x 3
1702600K0 -- 26 x 3,5
1702800K0 -- 28 x 4
1703200K0 -- 32 x 4,4

Straight coupling with external thread

1701011K0 -- 10x1,6 - ½"
1701211K0 -- 12x1,6 - ½"
1701511K0 -- 15x2 - ½"
1701511K1 -- 15x2,5 - ½"
1701611K0 -- 16x2,2 - ½"
1702012K0 -- 20x2,8 - ¾"
1702212K0 -- 22x3 - ¾"
1702613K0 -- 26x3,5 - 1"
1702813K0 -- 28x4 - 1"
1703213K0 -- 32x4,4 - 1"

Metal fittings for Plastic Piping systems

Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017, published in the Government Gazette).





These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

MARKING

The fittings are provided with at least the following marks:

- "KIWA  or, on very small fittings only, the abbreviated word mark  or  or **KK*** or **KK*** (if not possible, then "KIWA  to be provided only on the smallest packaging)**;
- manufacturer's name, trade name or logo;
- nominal outside diameter in mm of the connecting pipe;
- production code.

Place of the marking: on each fitting.

The smallest packaging unit of the fittings must be provided with at least the following information:

- "KIWA"
- certificate number of the accompanying technical approval(system)certificate, in accordance with the marking of the connecting pipe;
- manufacturer's name, trade name, system name or logo;
- nominal outside diameter and nominal wall thickness in mm of the connecting pipe.

Place of the marking: on each package.

*) For small fittings, marking with only KK is allowed.

**) Only with permission from Kiwa.

Method of marking:

- non-erasable;
- visible after assembly.

APPLICATION AND USE

The products are intended to be used for the transport of cold and hot drinking water according to a temperature profile class 2 of ISO 10508 and an allowable working pressure of maximum 8 or 10 bar.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Herz Armaturen Ges.m.b.H.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.