



## Product certificate K14653/10

Issued 2024-03-15

Replaces K14653/09

Page 1 of 2

### WC-pans

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Villeroy & Boch AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019,

which covers the requirements of

**NEN-EN 997: 2018** "WC pans and WC suites with integral trap".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

#### Kiwa Nederland B.V.

Sir Winston Churchilllaan 273

Postbus 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

[info@kiwa.nl](mailto:info@kiwa.nl)

[www.kiwa.nl](http://www.kiwa.nl)

#### Company

Villeroy & Boch AG

Postfach 1120

66688 METTLACH

Germany

Tel. +49 6864811531

[www.villeroy-boch.com](http://www.villeroy-boch.com)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

## WC-pans

---

### Technical specification

The products mentioned are intended for connection with a (concealed) flushing cistern, unless otherwise mentioned.

The products mentioned in this certificate are classified as Class 1 products unless otherwise mentioned.

All products are delivered with matching installation and fixing means.

#### A) WC-pans for connection with (concealed) cistern or pressure flush valve using a nominal flush volume of 5 and 6 litres:

model **ViClean-I 100** <sup>1)</sup>

Shower toilet system type V0E100R1, having a wall-hung ceramic WC bowl with horizontal outlet (UP) built in toilet shower; boiler; warm air dryer and a lavatory seat included with cover and installation parts. Is incorporated with a built in safety device by means of backflow preventing air gap type AB and at connection point a check valve code EB.

<sup>1)</sup> The above products are related to the safety certificate K14011. The issued certificates for the certification scheme for aspects of technical water supply protection for appliances with a contamination risk are not covered by accreditation.

### Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

### Marking

The products are marked with the wordmark "KIWA".

- followed by the number 6 or 7.5 or 9, which indicates the minimum necessary flush volume
- and the letter A which indicates the type of flushing device to be connected:
  - A intended for connection with a pressure flush valve.

Example:

The WC-pan is marked as follows:

**"KIWA-6-A-C"**

*WC-pan intended for connection to a (concealed) flushing cistern or pressure flush valve. The minimum water volume required to perform a full flush amounts  $6 \pm 0.2$  litres.*

Product(s) with a nominal flush volume of 4 and / or 5 litres are entitled to be marked with only word mark Kiwa

Place of the mark:

- between the attachment holes of the lavatory seat or
- on one of the sides of the flushing rim of the WC pan or
- under the rim of the WC-pan.

Additional compulsory marking:

- name or mark of manufacturer:
  - between the attachment holes of the lavatory seat or on one of the sides of the flushing rim of the WC pan.
- additional marking or labelling as specified in the European Standard EN997.

Method of marking:

- indelible;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Villeroy & Boch AG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.