



KOMO®
Product certificate
K4348/10



Issued	2024-09-15	Replaces	K4348/09
Valid until	Indefinite	Dated	2020-09-01
Page	1 of 3		

Three-layer PVC pipes for non-pressure underground sewerage,
smooth wall

Dyka B.V.

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 9208-1 "Structured wall (smooth) pipes and fittings for non-pressure underground drainage and sewerage - Deel 1 - Type A: PVC-U, PP " dated 30 August 2017, conform the Kiwa-Regulations for Certification.

The quality system and product characteristics in association with are assessed periodically.

On this basis Kiwa declares that a justified confidence exists, that the delivered by the certificate holder at delivery fulfil:

- the technical specification laid down in this product certificate,
- the product requirements as laid down in this product certificate and in the BRL.

provided that has/have been marked with the KOMO®-mark in a manner as indicated in this product certificate;

Ron Scheepers
Kiwa

Dit productcertificaat is opgenomen in het overzicht op de website van Stichting KOMO: www.komo.nl.

Gebruikers van dit productcertificaat worden geadviseerd om te controleren of deze nog geldig is, raadpleeg hiertoe de website van Kiwa: www.kiwa.nl.

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
info@kiwa.com
www.kiwa.com

**Holder of Certificate +
Production location**
Dyka B.V.
Produktieweg 7
8331 LJ STEENWIJK
Postbus 33
8330 AA STEENWIJK
Tel. +31 (0)521-534911
Fax +31 (0)521-534371
info@dyka.nl
www.dyka.nl

Production location
DYKA SAS
Rue de Brévillers 25
62140 SAINTE-AUSTREBERTHE
Frankrijk
Tel. +33 (0)321 86 59 00
Fax +33 (0)321 86 59 01



Evaluated is:
quality system
product
Periodic inspection

Three-layer PVC pipes for non-pressure underground sewerage, smooth wall

PRODUCT SPECIFICATION

PVC structured (smooth, 3 layer) wall pipes for non-pressure underground drainage and sewerage, in accordance with guideline BRL 9208-1. The products given in the table below are part of this product certificate.

Colour pipes

PVC: grey or red-brown (outside)

PP: black.

The pipes can be provided with integrated pipe sockets.

Table 1 pipes of PVC

OD	Dyka B.V.		Dyka SAS	
	SN 8	SN 4	SN 8	SN 4
110	X	X	X	X
125	X	X	X	X
160	X	X	X	X
200	X	X	X	X
250	X	X	X	X
315	X	X	X	X
400	X	X	X	X
500	X	X	X	X
630	X	X	X	X

Tabel 2 pipes of PP

OD	Dyka B.V.	
	SN 8	SN4
110	X	
125	X	
160	X	
200		
250		
315		
400		
500		
630		

OD = outside diameter


MARKING

The products shall be marked with the KOMO®-mark.

The realization of the marks is as follows: clear, durable and indelible.

Location of the marks: on every pipe at intervals of not more than 2 m.

The pipes shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation;
- classification;
- nominal outside diameter in mm;
- production period or production code.

Marking with certificate number is optional.

APPLICATION AND USE

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage.

Take into account the following installation guidelines:

- NEN-EN 1610 "Construction and testing of drains and sewers";
- the processing guidelines of the producer.

PROCESSING GUIDELINES

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

Three-layer PVC pipes for non-pressure underground sewerage, smooth wall

RECOMMENDATIONS FOR THE CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

if you should reject a delivery on the basis of the above, please contact:

- Dyka B.V.

and, if necessary:

- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.

LIST OF DOCUMENTS*

NEN-EN 1610: 2015 Construction and testing of drains and sewers

* For the right version of the mentioned documents, see the last correction page of the BRL