



## Product certificate K58086/04

Issued 2024-07-01

Replaces K58086/02

Page 1 of 3

### Single taps and combination taps

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### PPI - Xiamen Zhongyu Hardware Industry Co. Ltd.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K652:2022 "Sanitary tapware; single taps and mixer taps"  
which covers the requirements of

EN 200: 2024 "Sanitary tapware – Single taps and combination taps (PN10)".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

#### Kiwa Nederland B.V.

Sir Winston Churchilllaan 273  
P.O. Box 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

PPI-Xiamen Zhongyu Hardware  
Industry Co., Ltd.  
No. 88 South Houxiang Road,  
Xinyang Industrial Zone Haicang  
361022 XIAMEN  
P. R. China  
Office (+86) 592-6809106  
Phone (+86) 182-5949-6398



## Single taps and combination taps

---

### PRODUCT SPECIFICATION

The products mentioned below belong to this certificate;

22.2701	Basin mixer	Amador (matte black)
22.2720	Basin mixer	Amador XL (matte black)
22.2721	Basin mixer	Amador XL (brushed copper)
22.2723	Basin mixer	Amador XL (brushed brass)
22.2724	Basin mixer	Amador XL (black stainless steel)
22.2725	Basin mixer	Amador (brushed bronze)
22.2722	Basin mixer	Amador wall mounted (matte black)
22.3701	Basin mixer	Amador
22.3702	Basin mixer	Asmaro
22.3703	Basin mixer	Benga
22.3704	Basin mixer	Brizo
22.3705	Basin mixer	Cadans
22.3706	Basin mixer	Carine
22.3708	Basin mixer	Amador (brushed nickel)
22.3711	Basin mixer	Rombo
22.3712	Basin mixer	Asmaro (brushed nickel)
22.3715	Basin mixer	Rombo (brushed nickel)
22.3719	Basin mixer	Amador XL (brushed bronze)
22.3720	Basin mixer	Amador XL
22.3721	Basin mixer	Amador XL (brushed nickel)
22.3722	Basin mixer	Amador wall mounted
22.3723	Basin mixer	Amador wall mounted (brushed nickel)
22.5701	Basin mixer	Amador (brushed brass)
22.5722	Basin mixer	Amador wall mounted (brushed brass)
22.6701	Basin mixer	Amador (brushed copper)
22.6702	Basin mixer	Amador wall mounted (brushed bronze)
22.6722	Basin mixer	Amador wall mounted (brushed copper)
22.7701	Basin mixer	Amador (black stainless steel)
22.7713	Basin mixer	Amador wall mounted (black stainless steel)

## Single taps and combination taps

---

### **FITNESS FOR CONTACT WITH DRINKING WATER**

These products are approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria, the product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

### **APPLICATION AND USE**

The single taps and combination taps are designed for application within following limits of use:

- a working pressure from 50 kPa up to 1000 kPa;
- a water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

### **MARKING**

The Kiwa®-mark products are marked with the wordmark "KIWA ".

Place of the mark:

- Kiwa on the body;

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body.

Method of marking:

- non-erasable;
- visible after assembly

### **RECOMMENDATIONS FOR CUSTOMERS**

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- PPI-Xiamen Zhongyu Hardware Industry Co., Ltd.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.