



Product certificate K6028/20

Issued 2023-02-01

Replaces K6028/19

Page 1 of 3

Close coupled suites

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Geberit International AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-K621 "Close coupled suites" dated 02-10-2019,

which covers the requirements of

EN 997: 2018 "WC-pans and WC-suites with integral trap".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273

P.O. Box 70

2280 AB RIJSWIJK

The Netherlands

Tel. +31 88 998 44 00

Fax +31 88 998 44 20

info@kiwa.nl

www.kiwa.nl

Company

Geberit International AG

Schachenstrasse 77

CH-8645 JONA

Switzerland

Tel. +41 (0) 55 221 6373

Fax +41 (0) 55 221 6747

info.nl@geberit.com

www.geberit.com

Geberit B.V.

Fultonbaan 15

3439 NE NIEUWEGEIN

The Netherlands

Tel. (+31) 030-6057734

info.nl@geberit.com

www.geberit.nl

Certification process
consists of initial and
regular assessment of:

- quality system
- product

Close coupled suites

Technical specification

The products mentioned below belong to this certificate.

Unless otherwise mentioned the products specified are classified as Class 1 products.

The products are in compliance with the requirements of EN997:2012 + A1:2015

Geberit Renova		Flushing cistern		
		501.385.01.X	501.384.01.X	227780XXX
WC-pan	203821XXX	v	v	v
	203820XXX	v	v	v
	501.383.01.X	v	v	Not applicable
	501.382.01.X	v	v	v

Geberit 300 Comfort		Flushing cistern		
		501.385.01.X	501.384.01.X	227780XXX
WC-pan	S8141500000G	v	v	v

Geberit 300 Comfort		Flushing cistern	
		S8500197000G	S8500199000G
WC-pan	S8101400000G	v	v

Specification WC-pan type**WC-pan 203821XXX:**

- 203821000

- 203821600 (KeraTect)

Pedestal wash-down WC-pan configured with a concealed vertical outlet (type AO).

WC-pan 501.383.01.X

- 501.383.01.1

- 501.383.01.8 (KeraTect)

Pedestal wash-down Rimfree WC-pan configured with an exposed horizontal outlet (type PK)

WC-pan S8141500000G

Pedestal wash-down raised WC-pan configured with an exposed horizontal outlet (type PK)

WC-pan 203820XXX:

- 203820000

- 203820600 (KeraTect)

Pedestal wash-down WC-pan configured with an exposed horizontal outlet (type PK)

WC-pan 501.382.01.X

- 501.382.01.1

- 501.382.01.8 (KeraTect)

Pedestal wash-down Rimfree WC-pan configured with an exposed horizontal outlet (type PK)

WC-pan S8101400000G

Pedestal wash-down raised WC-pan configured with a concealed horizontal outlet (type PK)

Specification Flushing cisterns type**Flushing cistern 501.385.01.X**

- 501.385.01.1

- 501.385.01.8 (KeraTect)

Water connection by side inlet with inlet valve Geberit

Typ 330 G3/8" br and dual flush operation with outlet valve Geberit Typ 240 DF

Flushing cistern 227780X

- 227780000

- 227780600 (KeraTect)

Water connection by side inlet with inlet valve Geberit Typ

330 G3/8" br and dual flush operation with outlet valve Geberit type 240 DF

Flushing cistern S8500199000G

Water connection by under inlet with inlet valve Geberit Typ 360 and dual flush operation with outlet valve Geberit Typ 280

Flushing cistern 501.384.01.X

- 501.384.01.1

- 501.384.01.8 (KeraTect)

Water connection by under inlet with inlet valve Geberit Typ 340

G3/8" and dual flush operation with outlet valve Geberit Typ 240 DF

Flushing cistern S8500197000G

Water connection by side inlet with inlet valve Geberit Typ 380 and dual flush operation with outlet valve Geberit type 280

Close coupled suites

Application and use

Close coupled suites are designed as flushing devices to be connected to drinking water installations with a maximum water temperature of 30 °C.

Marking

The WC pan, cistern and float operated valve of the close coupled suites are marked with the word mark "KIWA".

On the WC-pan this word mark shall be followed by the number 6, indicating the flushing volume.

Example:

Close coupled suite marked as follows:

WC-pan: "KIWA-6"

Cistern: "KIWA"

Float valve: "KIWA"

By this marking it is given that the close coupled suite is Kiwa certified and intended for use with a full flush of 6 litres. This flushing volume is indicated by the highest waterline in the cistern.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

Compulsory specifications:

name or mark of the manufacturer:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level;
- additional marking or labelling as specified in the European Standard EN997.

Method of marking:

- indelible;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Geberit International AG

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.