



Product certificate K6249/09

Issued 2024-04-01

Replaces K6249/08

Page 1 of 3

Toilet shower flush systems

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Geberit International AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019,

which covers the requirements of

EN 997:2012 + A1: 2015 "WC pans with integral trap".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

Geberit International AG
Schachenstrasse 77
CH-8645 JONA
Switzerland
Tel. +41 (0) 55 221 63 00
info@geberit.com
www.geberit.com

Supplier

Geberit B.V.
Fultonbaan 15
3439 NE NIEUWEGEIN
The Netherlands
Tel. +31 30 605 7700
info.nl@geberit.com
www.geberit.nl



**Certification process
consists of initial and
regular assessment of:**

- quality system
- product

Toilet shower flush systems

Technical specification

Unless otherwise mentioned the products specified are classified as Class 1 products.

The products mentioned below belong to this certificate.

If otherwise mentioned the products mentioned are in accordance with the Kiwa Evaluation guideline BRL-K14011¹⁾.

Geberit AquaClean Mera Classic

Wall-hung WC-pan with horizontal concealed outlet UP ; built in toilet shower; boiler; warm air dryer and a lavatory seat included with cover and installation parts.

Is incorporated with a built in safety device by means of backflow type AB.

Geberit AquaClean Sela

Wall-hung WC-pan with horizontal concealed outlet UP; with built in toilet shower and a lavatory seat with cover and installation parts.

Is incorporated with a built in safety device by means of backflow type AB.

Applicable for the nominal flush volumes of 4; 5 and 6 litres.

Geberit AquaClean Mera Comfort

Wall-hung WC-pan with horizontal concealed outlet UP ; built in toilet shower; boiler; warm air dryer and a lavatory seat include with cover and installation parts. The product is configured with

- WC seat with rapid heating function
- Adjustable temperature of the WC-seat heating
- Touchless opening and closing of the WC lid
- Activation of the orientation light when approaching

Is incorporated with a built in safety device by means of backflow type AB.

Geberit AquaClean Alba

Wall-hung WC-pan with horizontal concealed outlet UP; with built in toilet shower and a lavatory seat with cover and installation parts.

Is incorporated with a built in safety device by means of backflow type AB.

Applicable for the nominal flush volumes of 4; 5 and 6 litres.

Note

- 1) The above products are related to the safety certificate K6502. The issued certificates for the certification scheme for aspects of technical water supply protection for appliances with a contamination risk are not covered by accreditation.

Toilet shower flush systems

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark shall be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;

For WC-pans approved at a nominal flush of 4 or/and 5 litres, only the wordmark "Kiwa" is permitted.

- the letter A and or C which indicates the type of flushing device to be connected:
 - A intended for connection with a cistern (or concealed cistern)
 - C intended for connection with a pressure flush valve.

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat; on one of the sides of the flushing rim, or on the rear side of the product near to drinking water inlet connection point

Compulsory specifications:

- name or mark of the manufacturer
- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim;
- additional markings as specified in the European Standard EN997 (on a removable label);
- additional markings as indicated in the BRL14011.

Method of marking:

- Non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Geberit International AG

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.