



Product certificate K6272/11

Issued 2024-10-01

Replaces K6272/10

Page 1 of 4

Ball valves

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Villeroy & Boch Gustavsberg AB

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K604 "Stop- and connecting cocks" dated 07-01-2022.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

Villeroy & Boch Gustavsberg AB
Industrigatan 1
SE-447 81 VÅRGÅRDA
Sweden
Tel. +46 857039100
www.gustavsberg.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Ball valves

PRODUCT SPECIFICATION

The products mentioned below belong to this product certificate:

Ball valve, pattern A-A

FG2 162220	Servvstraight F/F G3/8XG3/8 CHR
FG2 162230	Servvstraight F/F G1/2XG1/2 CHR
FG2 162240	Servvstraight F/F G3/4XG3/4 CHR
FG2 162720	Servvstraight F/F G3/8xG3/8 Chr lever
FG2 162730	Servvstraight F/F G1/2XG1/2 CHR lever
FG2 162740	Servvstraight F/F G3/4XG3/4 CHR lever

Ball valve, pattern non-return A-B

FG2 182730	Servvstr non-return F/M G1/2XG1/2 C LEV
------------	---

Ball valve, pattern 90° elbow, non-return A-B

FG2 192700	Servvang N-RET+wplateM/MG3/4XG1/2 C LEV
FG2 192730	Servvang N-RET+wplateM/MG1/2XG1/2 C LEV

Ball valve, pattern 90° elbow A-B

FG2 202230	Servvangle F/M G1/2XG1/2 CHR
FG2 202730	Servvangle F/M G1/2XG1/2 CHR lever
FG2 231347	Servv elbow WALL PLATE M/F G3/4XG1/2 C

Ball valve, pattern B-B

FG2 112130	Servvstraight M/M G1/2XG1/2 RAW
FG2 112720	Servvstraight M/M G3/8XG3/8 CHR lever
FG2 112740	Servvstraight M/M G3/4XG3/4 CHR lever
FG2 115230	Servvstraight M/M G1/2xG1/2 Fkr
FG2 115730	Servvstraight M/M G1/2XG1/2 C LEV SHORT

Ball valve, pattern S-coupling B-B

FG2 231345	Servvstr ECC WALL PLATE M/M G3/4XG1/2
------------	---------------------------------------

Ball valve, pattern B-B

FG2 232007	Servvstr long wallplate M/M G3/4XG1/2 C
------------	---

Ball valve, pattern 90° elbow B-B

FG2 442005	Servvangle long M/M G1/2xG1/2 Chr
------------	-----------------------------------

Ball valve, pattern B-B

FG2 81610	Servvstraight M/M G3/4XG1/2 EUROKONUS R
FG2 81625	ServvF 1131-G1/2 CLOSED

Ball valve, pattern B-KF

FG2 112224	Servvstraight M/Ø G3/8X12 CHR
FG2 115233	Servvstraight M/Ø G1/2x10 Chr
FG2 115234	Servvstraight M/Ø G1/2X12 CHR
FG2 115235	Servvstraight M/Ø G1/2X15 CHR
FG2 115733	Servvstraight M/Ø G1/2X10 CHR lever
FG2 115734	Servvstraight M/Ø G1/2X12 CHR lever
FG2 115735	Servvstraight M/Ø G1/2X15 CHR lever

Ball valve, pattern 90° elbow B-B

FG2 171230	Servvangle w.wall PLATE M/M G1/2XG1/2 C
FG2 171730	Servvang WALL PLATE M/M G1/2XG1/2 C LEV

Ball valve, pattern A-B

FG2 101130	Servvstraight F/M G1/2XG1/2 RAW
FG2 101230	Servvstraight F/M G1/2XG1/2 CHR
FG2 101630	Servvstraight F/M G1/2XG1/2 RAW lever
FG2 101730	Servvstraight F/M G1/2XG1/2 CHR lever
FG2 102130	Servvstraight F/M G1/2XG1/2 RAW
FG2 102140	Servvstraight F/M G3/4XG3/4 RAW
FG2 102220	Servvstraight F/M G3/8XG3/8 CHR
FG2 102230	Servvstraight F/M G1/2XG1/2 CHR
FG2 102240	Servvstraight F/M G3/4XG3/4 CHR
FG2 102250	Servvstraight F/M G1XG1 CHR
FG2 102720	Servvstraight F/M G3/8XG3/8 CHR lever
FG2 102730	Servvstraight F/M G1/2XG1/2 CHR lever
FG2 102740	Servvstraight F/M G3/4XG3/4 CHR lever
FG2 81609	Servvstraight F/M G1/2XISO7/1-R1/2 CHR

Ball valve, pattern A-KF

FG2 102224	Servvstraight F/Ø G3/8X12 CHR
FG2 102233	Servvstraight F/Ø G1/2X10 CHR
FG2 102234	Servvstraight F/Ø G1/2X12 CHR
FG2 102235	Servvstraight F/Ø G1/2X15 CHR
FG2 102724	Servvstraight F/Ø G3/8X12 CHR lever
FG2 102733	Servvstraight F/Ø G1/2X10 CHR lever
FG2 102734	Servvstraight F/Ø G1/2X12 CHR lever
FG2 102735	Servvstraight F/Ø G1/2X15 CHR lever

Ball valve, pattern T B-B-B

FG2 232703	Servv tee M/M/M G1/2XG1/2XG1/2 CHR lever
------------	--

Ball valve, pattern T 2 ball A-B-B

FG2 232731	Servv tee 2ball F/M/MG1/2XG1/2XG1/2 C LEV
------------	---

Ball valve, pattern T A-B-B

FG2 232732	Servv tee F/M/M G1/2XG1/2XG1/2 CHR lever
------------	--

Ball valve, pattern 90° elbow KF-KF

FG2 442006	Servvangle long Ø/Ø 15X10 CHR lever
FG2 442010	Servvangle long Ø/Ø 10X10 CHR lever
FG2 442012	Servvangle long Ø/Ø 12X10 CHR lever
FG2 442013	Servvangle long Ø/Ø 12X12 CHR lever
FG2 442014	Servvangle long Ø/Ø 15x12 Chr lever
FG2 442015	Servvangle long Ø/Ø 15X15 CHR lever

Ball valve, pattern KF-KF

FG2 122223	Servvstraight Ø/Ø 10X10 CHR
FG2 122224	Servvstraight Ø/Ø 12X12 CHR
FG2 122277	Servvstraight Ø/Ø 18X18 CHR
FG2 122288	Servvstraight Ø/Ø 22X22 CHR
FG2 122723	Servvstraight Ø/Ø 10X10 CHR lever
FG2 122724	Servvstraight Ø/Ø 12X12 CHR lever
FG2 122777	Servvstraight Ø/Ø 18X18 CHR lever
FG2 122788	Servvstraight Ø/Ø 22X22 CHR lever
FG2 125235	Servvstraight Ø/Ø 15X15 CHR
FG2 125735	Servvstraight Ø/Ø 15X15 CHR lever
FG2 142234	Servvstraight Ø/Ø 12X10 CHR

Ball valves

Ball valve, pattern 90° elbow B-KF

FG2 171333 Servvangle w.wall PLATE M/Ø G1/2X10 CHR
FG2 171334 Servvangle w.wall PLATE M/Ø G1/2X12 CHR
FG2 171335 Servvangle w.wall PLATE M/Ø G1/2X15 CHR

FG2 172004 Servv elbow-long Ø/M 10XG1/2 RAWCHR
FG2 172704 Servv elbow-long Ø/M 10XG1/2 RAWCHR LEV

Ball valve, pattern 90° elbow A-KF

FG2 202734 Servvangle F/Ø G1/2X12 CHR lever
FG2 202735 Servvangle F/Ø G1/2x15 Chr lever

Ball valve, pattern A swivling-B

FG2 212740 Servvstr loosE UNI F/M G3/4XG3/4 C LEV

FG2 142734 Servvstraight Ø/Ø 12X10 CHR lever
FG2 145235 Servvstraight Ø/Ø 15X10 CHR
FG2 145236 Servvstraight Ø/Ø 16X10 CHR
FG2 145245 Servvstraight Ø/Ø 15X12 CHR
FG2 145246 Servvstraight Ø/Ø 16X12 CHR
FG2 145256 Servvstraight Ø/Ø 16X15 CHR
FG2 145735 Servvstraight Ø/Ø 15X10 CHR lever
FG2 145736 Servvstraight Ø/Ø 16X10 CHR lever
FG2 145745 Servvstraight Ø/Ø 15X12 CHR lever
FG2 145746 Servvstraight Ø/Ø 16X12 CHR lever
FG2 145756 Servvstraight Ø/Ø 16X15 CHR lever

Ball valve, pattern A swivling-KF

FG2 212747 Servvstr loosE UNION F/Ø G3/4X18 C LEV

Remarks:

A : female threaded connecting end
B : male threaded connecting end
KF : connecting end with compression fittings

Ball valves

Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

MARKING

The Kiwa®-mark products are marked with the word mark "KIWA  or the abbreviated word mark .

Place of the mark: on the body.

Compulsory specifications:

- Manufacturer's name or mark, on the body;
- Nominal size DN, on the body;
- Marking according to EN 13828.

Method of marking:

- Non-erasable;
- visible after assembly.

APPLICATION AND USE

Ball valves are designed to shut off, if desired temporarily, conduit pipes of drinking water installations intended for transporting drinking water with a maximum pressure of 1000 kPa and a water temperature with a maximum of 65°C. Using the products in water installations with a water temperature up to 90°C is possible. However, this may influence the durability of some parts and the contact temperature of the operation handle.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Villeroy & Boch Gustavsberg AB
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.