

# Product certificate **K6317/10**



Issued

2021-08-15

Replaces

K6317/09

Page

1 of 3

# Sanitary tapware; Mechanical mixers

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Paini Rubinetterie S.p.A.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline **BRL-K607** "Sanitary tapware: Mechanical mixers" dated 10-10-2018,

which covers the requirements of

EN 817:2008 "Sanitary tapware; Mechanical mixing valves".

Ron Scheepers

Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

### Kiwa Nederland B.V.

Sir Winston Churchilllaan 273 Postbus 70 2280 AB RIJSWIJK The Netherlands

Tel. +31 88 998 44 00 Fax +31 88 998 44 20

NL.Kiwa.info@Kiwa.com

www.kiwa.nl

### Company

Paini Rubinetterie S.p.A. Via Cremosina 43 28076 POGNO Italy

www.paini.com



Certification process consists of initial and regular assessment of:

- quality system
- product

## Product certificate

page 2 of 3

### Sanitary tapware; Mechanical mixers

### **Technical specifications**

The products mentioned below belong to this certificate:

Series ARENA:		Series COOPER:				
111	bath/shower mixer	111	bath/shower mixer			
211	wash basin mixer	211	wash ba	wash basin mixer		
211LL	wash basin mixer, tall version	501	kitchen	kitchen mixer		
306	bidet mixer	511	shower	shower mixer		
511	shower mixer	573	kitchen mixer			
557	kitchen mixer					
568	kitchen mixer					
572	kitchen mixer					
573	kitchen mixer					
579	kitchen mixer					
0.0						
series COX:		Others:				
109	bath/shower mixer	USCR566	KW	41	kitchen mixer	
111	bath/shower mixer	20 583	KW	05	kitchen mixer "Atomix"	
208	bath mixer	38 573	KW	06	kitchen mixer "Magnum"	
211	wash basin mixer	64 588	KW	07	kitchen mixer "Barocco"	
211LL	wash basin mixer, tall version	67 573	KW	08	kitchen mixer "Atomix 2000"	
306	bidet mixer					
509	shower mixer	IK-557	kitc	hen mix	ker, with pull-out hand spray	
511	shower mixer					
557	kitchen mixer	MR**576	kitch		chen mixer, pull-out spray	
558	kitchen mixer	MR**579			chen mixer	
568	kitchen mixer					
572	kitchen mixer	1FCR111DVK4		bath/sh	nower mixer	
573	kitchen mixer	1FCR511DVK4			shower mixer	
579	kitchen mixer	1FCR205DVK4		basin mixer		
		1FCR211DVK4		basin mixer		
		1FCR205MEDVK4		basin mixer		
		1FCR211MEDVK4		basin mixer		
		1FCR306DKDVK4		bidet mixer		
		1DCR511DVK4		shower mixer		
		1DCR111DVK4		bath/shower mixer		
		1DCR306DKDVK4		bidet mixer		
		1DCR205DVK4		basin mixer		
		1DCR211DVK4		basin mixer		
		1DCR205MEDVK4		basin mixer		
				basin mixer		
				shower mixer		
		3BCR111DVK4		bath/shower mixer		
				basin mixer		
				basin mixer		
				basin n	asin mixer	
		3BCR205MEDVK4 basin mixer		nixer		
		3BCR211LLBLDVK4 basin mixer		nixer		
		3BCR205LLBLDVK4 basin mixer		nixer		
		3BCR306DVK4 bidet mixer		nixer		

page 3 of 3

### Sanitary tapware; Mechanical mixers

### Remark

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Regulation for Materials and chemical in drinking and warm tap water supply), as specified in clause 4.2 of the Kiwa guideline BRL-K607/05.

### Application and use

Sanitary tapware: mechanical mixers are designed for application within the following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

• working pressure of 100 kPa up to 500 kPa; water temperature of maximum 65°C.

#### Marking

The Kiwa®-mark products are marked with the word mark "KIWA". Place of the mark: on the body.

Compulsory specifications:

- name or mark of manufacturer, on the body;
- indication of temperature, on the handle;
- · identification of the acoustic group, if classified, on the body;
- identification of the flow resistance class, on the body.

Method of marking:

- · non-erasable;
- · visible after assembly.

### **Recommendations for customers**

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

• Paini Rubinetterie S.p.A.

and, if necessary,

• Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.