



Product certificate K83815/06

Issued 2022-11-15

Replaces K83815/05

Page 1 of 3

Thermostatic mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

IKEA of Sweden AB

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K610 "Sanitary tapware; Thermostatic mixers", dated 01-02-2012.

which covers the requirements of

EN1111:2017 "Sanitary tapware - thermostatic mixing valves (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

IKEA of Sweden AB
Box 702
34381 ÄLMHULT
Sweden
Tel. +476587238
www.ikea.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Thermostatic mixers

PRODUCT SPECIFICATION

The products mentioned below belong to this product certificate.

Model	Article Number	Design	Supplier number
ÅBYVIKEN ²	102-901-36	Bath/shower mixer	20470
	302-901-35	Shower mixer	20470
BROGRUND ³	403-425-39	Shower mixer	22399
	803-425-42	Bath/shower mixer	22399
	Mixer of set 203-425-35 ¹	Shower mixer	22399
	804-799-69	Shower mixer FI	22399
	004-799-68	Bath/shower mixer FI	22399
	Mixer of set 603-425-38 ¹	Shower mixer FI	22399
	703-933-44	Shower mixer SE	22399
	903-933-43	Bath/shower mixer SE	22399
	Mixer of set 103-933-42	Shower mixer SE	22399
	103-496-55	Shower mixer	22399
VALLAMOSSE ³	003-586-88	Bath/shower mixer	22399
	503-496-58	Shower mixer FI	22399
	603-586-90	Bath/shower mixer FI	22399
	603-933-54	Shower mixer SE	22399
	603-426-04	Shower mixer	22399
	703-426-08	Bath/shower mixer	22399
VOXNAN ³	Mixer of set 403-426-00 ¹	Shower mixer	22399
	804-799-74	Shower mixer FI	22399
	204-799-72	Bath/shower mixer FI	22399
	Mixer of set 803-426-03 ¹	Shower mixer FI	22399
	033-933-52	Shower mixer SE	22399
	203-933-51	Bath/shower mixer SE	22399
	Mixer of set 403-933-50 ¹	Shower mixer SE	22399

¹ Note: The shower sets include a shower pole, shower head, 3-spray hand shower, shower hose and thermostatic mixer.

² Note: The product examination included the requirements of EN111:1998.

³ Note: The product examination included the requirements of EN111:2017.

Thermostatic mixers

FITNESS FOR CONTACT WITH DRINKING WATER

The listed products are approved on the basis of the requirements for hygienic aspects set in the “Regeling materialen en chemicaliën drink-en warm tapwatervoorziening” (“Materials and chemicals in the supply of drinking water and warm tap water Regulation” dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The products shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed ‘Appendix Hygienic Aspects’ to this certificate.

APPLICATION AND USE

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90°C. The recommended limits for use are a working pressure between 100 and 500 kPa, and a water temperature of maximum 65°C.

MARKING

The Kiwa®-mark products are marked with the word mark “KIWA” together with the Watermark logo  or the abbreviated word mark 

Place of the mark: on the body.

Compulsory specifications:

name or mark of the manufacturer: on the body;

indication for temperature selection: on the control device;

the acoustic group, if classified: on the body;

the flow rate class: on the body.

Method of marking:

non-erasable;

visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- IKEA of Sweden AB

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.