



KOMO® Product certificate K91989/04



Issued	2020-10-15	Replaces	K91989/03
Valid until	Indefinite	Dated	2019-11-01
Page	1 of 9		

Metal fittings for plastic piping system

KE KELIT GmbH

STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 5611 "Plastics piping system of PE-RT /Al intended for heating installations: radiator connections" dated 25 October 2016 , issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down both in this product certificate and in the Guideline/BRL.

Provided the product is accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers
Kiwa

This product certificate is only valid in combination with a KOMO certified plastics piping system.

This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl.

Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: www.kiwa.nl.

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Certificate holder
KE KELIT GmbH
Ignaz Mayerstrasse 17
4020 LINZ
Austria
Tel. (+43) (0)5 / 0779-368
Fax (+43) (0)5 / 0779-118



Assessed is:
• Quality system
• Product
Periodic control

Metal fittings for plastic piping system

TECHNICAL SPECIFICATION

This product certificate relates to the Metal fittings for plastic piping system produced by Ke Kelit and to the associated product characteristics.

The following products are covered by this product certificate:

Model ID	Description
73100BBO	KELOX-PROtec-push coupling 16x16
73100DBO	KELOX-PROtec-push coupling 20x16
73100DDO	KELOX-PROtec-push coupling 20x20
73100EBO	KELOX-PROtec-push coupling 25x16
73100EDO	KELOX-PROtec-push coupling 25x20
73100EEO	KELOX-PROtec-push coupling 25x25
73100FBO	KELOX-PROtec-push coupling 32x16
73100FDO	KELOX-PROtec-push coupling 32x20
73100FEO	KELOX-PROtec-push coupling 32x25
73100FFO	KELOX-PROtec-push coupling 32x32
73206B02	KELOX-PROtec-push adaptor 16x1/2"(female thread)
73206D02	KELOX-PROtec-push adaptor 20x1/2"(female thread)
73206D04	KELOX-PROtec-push adaptor 20x3/4"(female thread)
73206E05	KELOX-PROtec-push adaptor 25x3/4"(female thread)
73206F05	KELOX-PROtec-push adaptor 25x1"(female thread)
73206F05	KELOX-PROtec-push adaptor 32x1"(female thread)
73202B02	KELOX-PROtec-push-adaptor 16x1/2"(male thread)
73202D02	KELOX-PROtec-push-adaptor 20x1/2"(male thread)
73202D04	KELOX-PROtec-push-adaptor 20x3/4"(male thread)
73202E04	KELOX-PROtec-push-adaptor 25x3/4"(male thread)
73202E05	KELOX-PROtec-push-adaptor 25x1"(male thread)
73202F02	KELOX-PROtec-push-adaptor 32x1/2"(male thread)
73202F04	KELOX-PROtec-push-adaptor 32x3/4"(male thread)
73202F05	KELOX-PROtec-push-adaptor 32x1"(male thread)
73103BB0	KELOX-PROtec-push-elbow 90° 16x16
73103DD0	KELOX-PROtec-push-elbow 90° 20x20
73103EE0	KELOX-PROtec-push-elbow 90° 25x25
73103FF0	KELOX-PROtec-push-elbow 90° 32x32
73110BBB	KELOX-PROtec-push-tee 16x16x16
73110BDB	KELOX-PROtec-push-tee 16x20x16
73110DBB	KELOX-PROtec-push-tee 20x16x16
73110DBD	KELOX-PROtec-push-tee 20x16x20
73110DDB	KELOX-PROtec-push-tee 20x20x16
73110DDD	KELOX-PROtec-push-tee 20x20x20
73110EBB	KELOX-PROtec-push-tee 25x16x16
73110EBD	KELOX-PROtec-push-tee 25x16x20
73110EBE	KELOX-PROtec-push-tee 25x16x25
73110EDD	KELOX-PROtec-push-tee 25x20x20
73110EDE	KELOX-PROtec-push-tee 25x20x25
73110EEE	KELOX-PROtec-push-tee 25x25x25
73110FBF	KELOX-PROtec-push-tee 32x16x32
73110FDF	KELOX-PROtec-push-tee 32x20x32
73110FEE	KELOX-PROtec-push-tee 32x25x25
73110FEF	KELOX-PROtec-push-tee 32x25x32
73110FFF	KELOX-PROtec-push-tee 32x32x32
73212B02	KELOX-PROtec-push-elbow 90° 16x1/2"(male thread)
73212D02	KELOX-PROtec-push-elbow 90° 20x1/2"(male thread)
73212D04	KELOX-PROtec-push-elbow 90° 20x3/4"(male thread)
73212E04	KELOX-PROtec-push-elbow 90° 25x3/4"(male thread)
73212E05	KELOX-PROtec-push-elbow 90° 25x1"(male thread)
73212F05	KELOX-PROtec-push-elbow 90° 32x1"(male thread)
73216B02	KELOX-PROtec-push-elbow 90° 16x1/2"(female thread)
73216D02	KELOX-PROtec-push-elbow 90° 20x1/2"(female thread)



Metal fittings for plastic piping system

73216D04	KELOX-PROtec-push-elbow 90° 20x3/4" (female thread)
73216E04	KELOX-PROtec-push-elbow 90° 25x3/4" (female thread)
73216F05	KELOX-PROtec-push-elbow 90° 32x1" (female thread)
73203B02	KELOX-PROtec-push-union adaptor 16x1/2" (female thread)
73203B04	KELOX-PROtec-push-union adaptor 16x3/4" (female thread)
73203D04	KELOX-PROtec-push-union adaptor 20x3/4" (female thread)
73203E04	KELOX-PROtec-push-union adaptor 25x3/4" (female thread)
73203E05	KELOX-PROtec-push-union adaptor 25x1" (female thread)
73203F04	KELOX-PROtec-push-union adaptor 32x3/4" (female thread)
73203F06	KELOX-PROtec-push-union adaptor 32x5/4" (female thread)
73204B02	KELOX-PROtec-push-union adaptor 16x1/2" (female thread) with wedge-seal
73204D04	KELOX-PROtec-push-union adaptor 20x3/4" (female thread) with wedge-seal
73240B02	KELOX-PROtec-push-tee 16x1/2"x16 (female thread)
73240D02	KELOX-PROtec-push-tee 20x1/2"x20 (female thread)
73240E02	KELOX-PROtec-push-tee 25x1/2"x25 (female thread)
73240E04	KELOX-PROtec-push-tee 25x3/4"x25 (female thread)
73240F02	KELOX-PROtec-push-tee 32x1/2"x32 (female thread)
73240F04	KELOX-PROtec-push-tee 32x3/4"x32 (female thread)
73250B02	KELOX-PROtec-wall-bracket 90° 16x1/2" (female thread)
73250D02	KELOX-PROtec-wall-bracket 90° 20x1/2" (female thread)
73250D04	KELOX-PROtec-wall-bracket 90° 20x3/4" (female thread)
73250E04	KELOX-PROtec-wall-bracket 90° 25x3/4" (female thread)
73254B2B	KELOX-PROtec-U-wall-bracket 180° 16x1/2"x16mm (female thread)
73254D2D	KELOX-PROtec-U-wall-bracket 180° 20x1/2"x20mm (female thread)
73256B02	KELOX-PROtec-wall-bracket 90° 16x1/2" 50mm (male thread)
73256D02	KELOX-PROtec-wall-bracket 90° 20x1/2" 50mm (male thread)
73106EE0	KELOX-PROtec-push-elbow 45° 25x25
73106FF0	KELOX-PROtec-push-elbow 45° 32x32

Model ID	Description
71100BB0	KELOX-Ultrax-press coupling 16x16
71100DB0	KELOX-Ultrax-press coupling 20x16
71100DD0	KELOX-Ultrax-press coupling 20x20
71100EB0	KELOX-Ultrax-press coupling 25x16
71100ED0	KELOX-Ultrax-press coupling 25x20
71100EE0	KELOX-Ultrax-press coupling 25x25
71100FE0	KELOX-Ultrax-press coupling 32x25
71100FF0	KELOX-Ultrax-press coupling 32x32
71103BB0	KELOX-Ultrax-press elbow 90° 16 x 16
71103DD0	KELOX-Ultrax-press elbow 90° 20 x 20
71103EE0	KELOX-Ultrax-press elbow 90° 25 x 25
71103FF0	KELOX-Ultrax-press elbow 90° 32 x 32
71106FF0	KELOX-Ultrax-press elbow 45° 32 x 32
71110BBB	KELOX-Ultrax-press tee 16 x 16 x 16
71110BDB	KELOX-Ultrax-press tee 16 x 20 x 16
71110DBB	KELOX-Ultrax-press tee 20 x 16 x 16
71110DBD	KELOX-Ultrax-press tee 20 x 16 x 20
71110DDB	KELOX-Ultrax-press tee 20 x 20 x 16
71110DDD	KELOX-Ultrax-press tee 20 x 20 x 20
71110DED	KELOX-Ultrax-press tee 20 x 25 x 20
71110EBB	KELOX-Ultrax-press tee 25 x 16 x 16
71110EBD	KELOX-Ultrax-press tee 25 x 16 x 20
71110EBE	KELOX-Ultrax-press tee 25 x 16 x 25
71110EDD	KELOX-Ultrax-press tee 25 x 20 x 20
71110EDE	KELOX-Ultrax-press tee 25 x 20 x 25
71110EEE	KELOX-Ultrax-press tee 25 x 25 x 25
71110FBF	KELOX-Ultrax-press tee 32 x 16 x 32
71110FDF	KELOX-Ultrax-press tee 32 x 20 x 32
71110FEE	KELOX-Ultrax-press tee 32 x 25 x 25
71110FEF	KELOX-Ultrax-press tee 32 x 25 x 32
71110FFF	KELOX-Ultrax-press tee 32 x 32 x 32



Metal fittings for plastic piping system

71240B02	KELOX-Ultrax-press tee 16 x 1/2" x 16(female thread)
71240D02	KELOX-Ultrax-press tee 20 x 1/2" x 20(female thread)
71240E02	KELOX-Ultrax-press tee 25 x 1/2" x 25(female thread)
71240E04	KELOX-Ultrax-press tee 25 x 3/4" x 25(female thread)
71240F02	KELOX-Ultrax-press tee 32 x 1/2" x 32(female thread)
71240F04	KELOX-Ultrax-press tee 32 x 3/4" x 32(female thread)
71202B02	KELOX-Ultrax-press adaptor 16 x 1/2"(male thread)
71202D02	KELOX-Ultrax-press adaptor 20 x 1/2"(male thread)
71202D04	KELOX-Ultrax-press adaptor 20 x 3/4"(male thread)
71202E04	KELOX-Ultrax-press adaptor 25 x 3/4"(male thread)
71202E05	KELOX-Ultrax-press adaptor 25 x 1"(male thread)
71202F05	KELOX-Ultrax-press adaptor 32 x 1"(male thread)
71203B04	KELOX-Ultrax-screw fitting 16 x 3/4" (female thread)
71203D04	KELOX-Ultrax-screw fitting 20 x 3/4" (female thread)
71203E05	KELOX-Ultrax-screw fitting 25 x 1" (female thread)
71203F06	KELOX-Ultrax-screw fitting 32 x 5/4" (female thread)
71206B02	KELOX-Ultrax-press adaptor 16 x 1/2"(female thread)
71206D02	KELOX-Ultrax-press adaptor 20 x 1/2"(female thread)
71206D04	KELOX-Ultrax-press adaptor 20 x 3/4"(female thread)
71206E04	KELOX-Ultrax-press adaptor 25 x 3/4"(female thread)
71206E05	KELOX-Ultrax-press adaptor 25 x 1"(female thread)
71206F05	KELOX-Ultrax-press adaptor 32 x 1"(female thread)
71206G06	KELOX-Ultrax-press adaptor 40x5/4"(female thread)
71206H07	KELOX-Ultrax-press adaptor 50x6/4"(female thread)
71206I09	KELOX-Ultrax-press adaptor 63x2"(female thread)
71206J12	KELOX-Ultrax-press adaptor 75x2 1/2"(female thread)
71212B02	KELOX-Ultrax-press elbow 90° 16 x 1/2"(male thread)
71212D02	KELOX-Ultrax-press elbow 90° 20 x 1/2"(male thread)
71212D04	KELOX-Ultrax-press elbow 90° 20 x 3/4"(male thread)
71212E04	KELOX-Ultrax-press elbow 90° 25 x 3/4"(male thread)
71212F05	KELOX-Ultrax-press elbow 90° 32 x 1"(male thread)
71216B02	KELOX-Ultrax-press elbow 90° 16 x 1/2"(female thread)
71216D02	KELOX-Ultrax-press elbow 90° 20 x 1/2"(female thread)
71216D04	KELOX-Ultrax-press elbow 90° 20 x 3/4"(female thread)
71216E05	KELOX-Ultrax-press elbow 90° 25 x 3/4"(female thread)
71216F05	KELOX-Ultrax-press elbow 90° 32 x 1"(female thread)
71120B00	KELOX-Ultrax-Endcap 16
71120D00	KELOX-Ultrax-Endcap 20
71252B2B	KELOX-Ultrax-connecting tee 16x1/2" (fem. thread)
71252D2D	KELOX-Ultrax-connecting tee female 20x1/2" (fem. thread)
71254B2B	KELOX-ULTRAX U-wall bracket 16x1/2" (female thread)
71254D2D	KELOX-ULTRAX U-wall bracket 20x1/2"(female thread)
71250B02	KELOX-Ultrax-press elbow with hanger 16x1/2" female thread
71250D02	KELOX-Ultrax-press elbow with hanger 20x1/2" female thread
71250D04	KELOX-Ultrax-press elbow with hanger 20x3/4" female thread
71250E04	KELOX-Ultrax-press elbow with hanger 25x3/4" female thread
53272BB0	KELOX-ULTRAX - STEELFIX press adaptor 16/15
53272CD0	KELOX-ULTRAX - STEELFIX press adaptor 20/18
53272DE0	KELOX-ULTRAX - STEELFIX press adaptor 25/22
53272EF0	KELOX-ULTRAX - STEELFIX press adaptor 32/28
53272FG0	KELOX-ULTRAX - STEELFIX press adaptor 40/35
9471500	KELOX coupling 40/25
9471600	KELOX coupling 40/32
9471700	KELOX coupling 40/40
9481600	KELOX coupling 50/32
9481700	KELOX coupling 50/40
9481800	KELOX coupling 50/50
7943030	KELOX coupling 63/40
7943020	KELOX coupling 63/50
7943010	KELOX coupling 63/63
7944030	KELOX coupling 75/50
7944020	KELOX coupling 75/63



Metal fittings for plastic piping system

7944010	KELOX coupling 75/75
9452500	KELOX repair coupling 25/25
9453200	KELOX repair coupling 32/32
9454000	KELOX repair coupling 40/40
9171700	KELOX elbow 90° 40
9181800	KELOX elbow 90° 50
7913010	KELOX elbow 90° 63
7914010	KELOX elbow 90° 75
9271700	KELOX elbow 45° 40
9281800	KELOX elbow 45° 50
7923010	KELOX elbow 45° 63
7924010	KELOX elbow 45° 75
7933020	KELOX tee 63/50/63
9371470	KELOX tee 40/20/40
9371570	KELOX tee 40/25/40
9371660	KELOX tee 40/32/32
9371670	KELOX tee 40/32/40
9371770	KELOX tee 40/40/40
9381580	KELOX tee 50/25/50
9381680	KELOX tee 50/32/50
9381880	KELOX tee 50/50/50
7933030	KELOX tee 63/40/63
7933010	KELOX tee 63/63/63
7934030	KELOX tee 75/40/75
7934010	KELOX tee 75/75/75
9373380	KELOX adaptor tee 40x1" (female thread)
9383480	KELOX adaptor tee 50x1" (female thread)
7933330	KELOX adaptor tee 63x1" (female thread)
9072500	KELOX adaptor 40x5/4" (male thread)
9082600	KELOX adaptor 50x6/4" (male thread)
7903010	KELOX adaptor 63x2" (male thread)
7904010	KELOX adaptor 75x2 1/2" (male thread)

Kelox Ultrax press fittings, MM profile, countour TH or U or H:

Model ID	Description	Dimension
500.1612	90° Female elbow	16x2,00-1/2"F
500.2012	90° Female elbow	20x2,25-1/2"F
500.20121	90° Female elbow	20x2,00-1/2"F
500.2034	90° Female elbow	20x2,25-3/4"F
500.20341	90° Female elbow	20x2,00-3/4"F
500.2534	90° Female elbow	25x2,50-3/4"F
500.2634	90° Female elbow	26x3,00-3/4"F
500.32100	90° Female elbow	32x3,00-1"F
501.1612	90° Male elbow	16x2,00-1/2"M
501.2012	90° Male elbow	20x2,25-1/2"M
501.20121	90° Male elbow	20x2,00-1/2"M
501.2034	90° Male elbow	20x2,25-3/4"M
501.20341	90° Male elbow	20x2,00-3/4"M
501.2534	90° Male elbow	25x2,50-3/4"M
501.2634	90° Male elbow	26x3,00-3/4"M
501.32100	90° Male elbow	32x3,00-1"M
502.01616	Distributor	20x2,25-20x2,25-16x2,00-16x2,00
502.016161	Distributor	20x2,00-20x2,00-16x2,00-16x2,00
502.0161616	Distributor	20x2,25-20x2,25-16x2,00-16x2,00-16x2,00
502.01616161	Distributor	20x2,00-20x2,00-16x2,00-16x2,00-16x2,00
502.1612	90° Female elbow with fixing base 46mm H	16x2,00-1/2"F
502.2012	90° Female elbow with fixing base 46mm H	20x2,25-1/2"F
502.20121	90° Female elbow with fixing base 46mm H	20x2,00-1/2"F
503.1616	90° Double elbow	16x2,00
503.2020	90° Double elbow	20x2,25
503.20201	90° Double elbow	20x2,00
503.2525	90° Double elbow	25x2,50



Metal fittings for plastic piping system

503.2626	90° Double elbow	26x3,00
503.3232	90° Double elbow	32x3,00
505.1612	Female elbow from plate	16x2,00-1/2"F-16x2,00
505.2012	Female elbow from plate	20x2,25-1/2"F-20x2,25
505.20121	Female elbow from plate	20x2,00-1/2"F-20x2,00
506.1612	90° Female elbow with fixing base 38mm H	16x2,00-1/2"F
506.2012	90° Female elbow with fixing base 38mm H	20x2,25-1/2"F
506.20121	90° Female elbow with fixing base 38mm H	20x2,00-1/2"F
510.1612	Fixed female coupling	16x2,00-1/2"F
510.2012	Fixed female coupling	20x2,25-1/2"F
510.20121	Fixed female coupling	20x2,00-1/2"F
510.2034	Fixed female coupling	20x2,25-3/4"F
510.20341	Fixed female coupling	20x2,00-3/4"F
510.25100	Fixed female coupling	25x2,50-1"F
510.2534	Fixed female coupling	25x2,50-3/4"F
510.26100	Fixed female coupling	26x3,00-1"F
510.2634	Fixed female coupling	26x3,00-3/4"F
510.32100	Fixed female coupling	32x3-1"F
511.1612	Fixed male coupling	16x2,00-1/2"M
511.1634	Fixed male coupling	16x2,00-1/4"M
511.1812	Fixed male coupling	18x2,00-1/2"M
511.2012	Fixed male coupling	20x2,25-1/2"M
511.20121	Fixed male coupling	20x2,00-1/2"M
511.2034	Fixed male coupling	20x2,25-3/4"M
511.20341	Fixed male coupling	20x2,00-3/4"M
511.25100	Fixed male coupling	25x2,50-1"M
511.2534	Fixed male coupling	25x2,50-3/4"M
511.26100	Fixed male coupling	26x3,00-1"M
511.2634	Fixed male coupling	26x3,00-3/4"M
511.32100	Fixed male coupling	32x3,00-1"M
511.3234	Fixed male coupling	32x3,00-3/4"M
512.1612	Removable coupling	16x2,00-1/2"
512.1634	Removable coupling	16x2,00-3/4"
512.2012	Removable coupling	20x2,25-1/2"
512.20121	Removable coupling	20x2,00-1/2"
512.2034	Removable coupling	20x2,25-3/4"
512.20341	Removable coupling	20x2,00-3/4"
512.25100	Removable coupling	25x2,50-1"
512.2534	Removable coupling	25x2,50-3/4"
512.26100	Removable coupling	26x3,00-1"
512.2634	Removable coupling	26x3,00-3/4"
512.32114	Removable coupling	32x3,00-1 1/4"
520.161216	Female outlet Tee	16x2,00-1/2"-16x2,00F
520.201220	Female outlet Tee	20x2,25-1/2"-20x2,25F
520.2012201	Female outlet Tee	20x2,00-1/2"-20x2,00F
520.251225	Female outlet Tee	25x2,50-1/2"-25x2,50F
520.253425	Female outlet Tee	25x2,50-3/4"-25x2,5F
520.261226	Female outlet Tee	26x3,00-1/2"-26x3,00F
520.263426	Female outlet Tee	26x3,00-3/4"-26x3,01F
520.323432	Female outlet Tee	32x3,00-3/4"-32x3,00F
523.161616	Equal Tee	16x2,00
523.162016	Reducing Tee	16x2,00-20x2,25-16x2,00
523.1620161	Reducing Tee	16x2,00-20x2,00-16x2,00
523.181818	Equal Tee	18x2,00
523.201616	Reducing Tee	20x2,25-16x2,00-16x2,00
523.2016161	Reducing Tee	20x2,00-16x2,00-16x2,00
523.201620	Reducing Tee	20x2,25-16x2,00-20x2,25
523.2016201	Reducing Tee	20x2,00-16x2,00-20x2,00
523.202016	Reducing Tee	20x2,25-20x2,25-16x2,00
523.2020161	Reducing Tee	20x2,00-20x2,00-16x2,00
523.202020	Equal Tee	20x2,25
523.2020201	Equal Tee	20x2,00



Metal fittings for plastic piping system

523.251616	Reducing Tee	25x2,50-16x2,00-16x2,00
523.251620	Reducing Tee	25x2,50-16x2,00-20x2,25
523.2516201	Reducing Tee	25x2,50-16x2,00-20x2,00
523.251625	Reducing Tee	25x2,50-16x2,00-25x2,50
523.252020	Reducing Tee	25x2,50-20x2,25-20x2,25
523.2520201	Reducing Tee	25x2,50-20x2,00-20x2,00
523.252025	Reducing Tee	25x2,50-20x2,25-25x2,50
523.2520251	Reducing Tee	25x2,50-20x2,00-25x2,50
523.252520	Reducing Tee	25x2,50-25x2,50-20x2,25
523.2525201	Reducing Tee	25x2,50-25x2,50-20x2,00
523.252525	Equal Tee	25x2,50
523.261616	Reducing Tee	26x3,00-16x2,00-16x2,00
523.261620	Reducing Tee	26x3,00-16x2,00-20x2,25
523.2616201	Reducing Tee	26x3,00-16x2,00-20x2,00
523.261626	Reducing Tee	26x3,00-16x2,00-26x3,00
523.262020	Reducing Tee	26x3,00-20x2,25-20x2,25
523.2620201	Reducing Tee	26x3,00-20x2,00-20x2,00
523.2620261	Reducing Tee	26x3,00-20x2,00-26x3,00
523.2626201	Reducing Tee	26x3,00-26x3,00-20x2,00
523.262626	Equal Tee	26x3,00
523.322032	Reducing Tee	32x3,00-20x2,25-32x3,00
523.3220321	Reducing Tee	32x3,00-20x2,00-32x3,00
523.322525	Reducing Tee	32x3,00-25x2,50-25x2,50
523.322532	Reducing Tee	32x3,00-25x2,50-32x3,00
523.322626	Reducing Tee	32x3,00-26x3,00-26x3,00
523.322632	Reducing Tee	32x3,00-26x3,00-32x3,00
523.323232	Equal Tee	32x3,00
533.1616	Connecting sleeve	16x2,00
533.1818	Connecting sleeve	18x2,00-18x2,00
533.2016	Reducing sleeve	20x2,25-16x2,00
533.20161	Reducing sleeve	20x2,00-16x2,00
533.2020	Connecting sleeve	20x2,25
533.20201	Connecting sleeve	20x2,00
533.2516	Reducing sleeve	25x2,50-16x2,00
533.2520	Reducing sleeve	25x2,50-20x2,25
533.25201	Reducing sleeve	25x2,50-20x2,00
533.2525	Connecting sleeve	25x2,50
533.2616	Reducing sleeve	26x3,00-16x2,00
533.26201	Reducing sleeve	26x3,00-20x2,00
533.2625	Reducing sleeve	26x3,00-25x2,50
533.2626	Connecting sleeve	26x3,00
533.3225	Reducing sleeve	32x3,00-25x2,50
533.3226	Reducing sleeve	32x3,00-26x3,00
533.3232	Connecting sleeve	32x3,00
533.1616R	Fixing coupling	16x2,00
533.1818R	Fixing coupling	18x2,00
533.2020R	Fixing coupling	20x2,25
533.20201R	Fixing coupling	20x2,00
533.2525R	Fixing coupling	25x2,50
533.2626R	Fixing coupling	26x3,00
533.3232R	Fixing coupling	32x3,0
552.01616	Distributor	25x2,50-20x2,25-16x2,00-16x2,00
552.016161	Distributor	25x2,50-20x2,00-16x2,00-16x2,00
552.0161616	Distributor	25x2,50-20x2,25-16x2,00-16x2,00-16x2,00
552.01616161	Distributor	25x2,50-20x2,00-16x2,00-16x2,00-16x2,00
553.161535	Elbow for connection to radiators	16x2,00
553.181535	Elbow for connection to radiators	18x2,00
553.201535	Elbow for connection to radiators	20x2,25
553.2015351	Elbow for connection to radiators	20x2,00
553.16	Curve for connection to radiators	16x2,00
553.16	Curve for connection to radiators	16x2,00
553.18	Curve for connection to radiators	18x2,00



Metal fittings for plastic piping system

553.18	Curve for connection to radiators	18x2,00
553.20	Curve for connection to radiators	20x2,25
553.20	Curve for connection to radiators	20x2,25
553.201	Curve for connection to radiators	20x2,00
553.201	Curve for connection to radiators	20x2,00
554.1615	Press-adapter for copper pipes	16x2,00 - 15 Cu
554.2018	Press-adapter for copper pipes	20x2,25 - 18 Cu
554.20181	Press-adapter for copper pipes	20x2,00 - 18 Cu
554.2522	Press-adapter for copper pipes	25x2,50 - 22 Cu
554.2622	Press-adapter for copper pipes	26x3,00 - 22 Cu
554.3228	Press-adapter for copper pipes	32x3,00 - 28 Cu
555.16	Press stop end	16x2,00
555.20	Press stop end	20x2,25
562.01616	Distributor	26x3,00-20x2,00-16x2,00-16x2,00
562.0161616	Distributor	26x3,00-20x2,00-16x2,00-16x2,00-16x2,00
563.16	Tee for connection to radiators	16x2,00
563.16	Tee for connection to radiators	16x2,00
563.18	Tee for connection to radiators	18x2,00
563.18	Tee for connection to radiators	18x2,00
563.20	Tee for connection to radiators	20x2,25
563.20	Tee for connection to radiators	20x2,25
563.201	Tee for connection to radiators	20x2,00
563.201	Tee for connection to radiators	20x2,00
575.16	Connection elbow for plaster partition wall	16x2,00
576.16	Elbow for connection to toilet cistern	16x2,00

Metal fittings for plastic piping system

marking

The following marks and indications must be provided on each product and product packaging in a clear, legible and indelible way:

The fittings shall be provided with at least the following marks:

- KOMO or KOMO® word mark (if not possible KOMO on only the smallest packaging)
- manufacturer's name, trade name or logo;
- nominal outside diameter in mm of the connecting pipe;
- production code



The smallest packaging unit of the fittings must be provided with at least the following information:

- KOMO (or KOMO® word mark);
- certificate number of the accompanying technical approval(system)certificate, in accordance with the marking of the connecting pipe;
- manufacturer's name, trade name, system name or logo;
- nominal outside diameter and nominal wall thickness in mm of the connecting pipe;

material identification in case the fitting body is made of plastic.

RECOMMENDATION FOR THE CUSTOMER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;

the products show no visible defects as a result of transport etc

If on the basis of the foregoing you decide to proceed to rejection, please contact

- KE KELIT GmbH

And if necessary,

- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.