



Product certificate K109299/01

Issued 2022-03-01

Replaces -

Page 1 of 3

Concealed flushing cisterns

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Ideal Standard International NV

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K620 "Flushing cisterns" dated 15-09-2019,

Which covers the requirements of

European Standard EN14055:2010 + A1: 2015 " WC and urinal flushing cisterns"

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

207180711

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company

Ideal Standard International NV
Corporate Village - Gent Building
Da Vincilaan 2
B-1935 Zaventem
Belgium
www.idealstandardinternational.com

Supplier

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 'S-Hertogenbosch
The Netherlands
www.idealstandardinternational.com
idealstandard.nl@idealstandard.com



**Certification process
consists of initial and
regular assessment of:**

- quality system
- product

Concealed flushing cisterns

PRODUCT SPECIFICATION

The products mentioned below belong to this technical approval-with-product certificate.

1. Model Ideal standard R043967 Prosys 120 WC

Concealed flushing cistern incorporated in a R043967 Prosys 120 WC Frame; with interrupted device, Dual Flush 6/3L incorporated with:

- Float valve : Oliveira & Irmao Azor Latplus
- Flush mechanism : Oliveira & Irmao Val Ain 120D MEC; Code 099941

2. Model Ideal Standard SKUS - R015467 Prosys 120

Freestanding WC frame

Concealed flushing cistern incorporated in WC Frame ESTR AUTOP 420 40X50 120D CAT; with interrupted device, Dual Flush 6/3L incorporated with:

- Float valve : Oliveira & Irmao Azor Latplus
- Flush mechanism : Oliveira & Irmao Val Ain 120D MEC; Code 099941

Concealed flushing cisterns

MARKING

The Kiwa®-mark products are marked with the word mark "KIWA".

Place of the mark:

- on the cisterns: on the left side, right side or front or on the inside above water level;
- on the body of the float operated valve (inlet valve).

Compulsory specifications:

- name or mark of the manufacturer:
 - on the float valves: on the body;
 - on the cisterns: on the left side, right side or front or on the inside above water level;
- reference as specified in the European Standard EN14055.

Method of marking:

- indelible;
- visible after assembly (for concealed flushing cisterns, after demounting of the control panel).

APPLICATION AND USE

Flushing cisterns (in combination with WC pans) are intended for use as flushing units connected to drinking water installations with a water temperature of maximum 30°C. Flushing cisterns using a nominal flush volume of 6 litres are intended for use in connection with WC-pans of the type 6A, according to the evaluation guideline BRL-K619.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Ideal Standard International NV
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.