



KOMO®
Product certificate
K4391/04



Issued 2017-04-01 Replaces K4391/03
Valid until Indefinite Dated 2013-09-01
Page 1 of 2

Saddles of PVC-U for outside underground drainage and sewerage
Dyka B.V.

STATEMENT BY KIWA

This product certificate is issued on the basis of BRL 2022 "Saddles of PVC-U, PP and PE for non pressure underground drainage and sewerage" dated 9 January 2017, conform the Kiwa-Regulations for Certification.

Kiwa declares that a justified confidence exists, that the saddles of PVC-U, for outside underground drainage and sewerage delivered by the certificate holder at delivery fulfil the technical specification laid down in this product certificate, the product requirements as laid down in this product certificate and in the BRL, provided that Saddles of PVC-U, PP and PE for non pressure underground drainage and sewerage have been marked with the KOMO®-mark in a manner as indicated in this product certificate;

Luc Leroy
Kiwa

*The certificate is listed in the overview on the website of Stichting KOMO:
www.komo.nl.*

*Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.
Publishing of this certificate is allowed.*

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Holder of Certificate
Dyka B.V.
Produktieweg 7
8331 LJ STEENWIJK
Postbus 33
8330 AA STEENWIJK
Teh Netherlands
T +31 (0)521-534911
F +31 (0)521-534371
E info@dyka.nl
I www.dyka.nl



Evaluated is:
quality system
product
Periodic inspection

Saddles of PVC-U for outside underground drainage and sewerage

PRODUCT SPECIFICATION

The product complies to BRL 2022 "Saddles of PVC-U, PP and PE for non pressure underground drainage and sewerage". The following table lists the values of the product characteristics that are part of this KOMO product certificate.

Class: the class of the saddles is 34 and 41.

Table 1 – Saddles

Main Sewerage mm	standpipe dimensions mm			
	Mechanical saddle		DYKA Pre Fit	
	125	160	125	160
200	X		X	
250	X	X	X	X
315	X	X	X	X
400	X	X	X	X
500		X		
630		X		

MARKING

The products shall be marked with the KOMO® mark.

The realization of the marks is as follows: clear, durable and indelible.

The fittings shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation;
- classification;
- nominal outside diameter of the corresponding pipe in mm;
- production period or production code.

Marking with BRL 2022 is optional.

APPLICATION AND USE

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage.

Take into account the following installation guidelines:

- NEN-EN 1610 "Construction and testing of drains and sewers";
- The processing guidelines of the producer.

PROCESSING GUIDELINES

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

RECOMMENDATION FOR THE CUSTOMER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a delivery on the basis of the above, please contact:

- Dyka B.V.
- and, if necessary:
- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.

CONSTRUCTION REGULATION

In the context of this product certificate no assessment is performed to the correctness of the performance of the essential characteristics. The statements in this product certificate may not be used to replace the CE marking and/or the corresponding mandatory Declaration of Performance.

LIST OF DOCUMENTS MENTIONED*

NEN-EN 1610:2015 Construction and testing of drains and sewers

* For the correct version of the listed documents reference is made to the latest revision of BRL 2022.

