



9208KOMO®
Product certificate
K79659/07



Issued	2021-08-15	Replaces	K79659/06
Valid until	Indefinite	Dated	2020-10-01
Page	1 of 2		

PP ribbed pipes for non-pressure underground sewerage
Dyka B.V.

STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 9208-2 "Pipes and fittings with structured wall for non-pressure underground drainage and sewerage - Part 2 - Type B: PP, PE" dated 30 August 2017, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down both in this product certificate and in the Guideline/BRL.

Provided the product / packaging / delivery documents is/are accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers
Kiwa

*This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl.
Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: www.kiwa.nl.*

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Certificate holder
Dyka B.V.
Produktieweg 7
8331 LJ STEENWIJK
Postbus 33
8330 AA STEENWIJK
Tel. 0521-534911
Fax 0521-534371
info@dyka.nl
www.dyka.nl

Production location
Dyka Plastics
Stuifzandstraat 47
Nolimpark 4004
3900 PELT
Belgium
Tel. +32 (0)11800430
Fax +32 (0)11661280

Production location
Bauernfeind GmbH
Gewerbepark 2
4730 WAIZENKIRCHEN
Austria
Tel. +43 (0)72772598-36
Fax +43 (0)72772598-25
www.bauernfeind.co.at



Assessed is:
• Quality system
• Product
Periodic control

PP ribbed pipes for non-pressure underground sewerage

PRODUCT SPECIFICATION

Ribbed pipes of PP for non-pressure underground drainage and sewerage, in accordance with guideline BRL 9208-2. The products in the table below are part of this product certificate.

Ring stiffness: the initial stiffness of the products belonging to this certificate is 8 kN/m².
The PP material has a high E-modulus.

Colour (outside) pipes: black and red-brown

Table 1 – Structured wall pipes Black

ID (mm)	SN8
200	X
250	X
300	X
400	X
500	X
600	X
800	X


Table 2 – Structured wall pipes red-brown

ID (mm)	SN8
200	X
250	X
300	X
400	X

MARKING

The products shall be marked with the KOMO®-mark.
The realization of the marks is as follows: clear, durable and indelible.
Location of the marks: on every pipe at intervals of not more than 2 m.

The pipes shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation;
- classification;
- nominal outside diameter in mm;
- production period or production code.

Marking with BRL 9208-2 is optional.

APPLICATION AND USE

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage.
Take into account the following installation guidelines:

- NEN-EN 1610 "Construction and testing of drains and sewers";
- the processing guidelines of the producer.

PROCESSING GUIDELINES

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

TIPS FOR THE USER

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

if you should reject a delivery on the basis of the above, please contact:

- Dyka B.V.

and, if necessary:

- Kiwa Nederland B.V.

For the proper storage, transport and processing consult the instructions of the certificate holder.

LIST OF DOCUMENTS*

NEN-EN 1610: 2015 Construction and testing of drains and sewers

* For the right version of the mentioned documents, see the last correction page of the BRL