



KOMO®
Product certificate
K88571/04



Issued	2020-11-01	Replaces	K88571/03
Valid until	Indefinite	Dated	2019-06-15
Page	1 of 3		

PP pipes for non-pressure underground drainage and sewerage
Dyka B.V.

STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 52202 "Plastic piping systems for non-pressure underground drainage and sewerage - PP" dated 1 September 2017 inclusive amendment sheet dated 17-12-2018, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down both in this product certificate and in the Guideline/BRL.

Provided the product is accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers
Kiwa

*This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl.
Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: www.kiwa.nl.*

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Certificate holder
Dyka B.V.
Produktieweg 7
8331 LJ STEENWIJK
Postbus 33
8330 AA STEENWIJK
Tel. 0521-534911
Fax 0521-534371
info@dyka.nl
www.dyka.nl

Assessed is:
• Quality system
• Product
Periodic control

PP pipes for non-pressure underground drainage and sewerage

PRODUCT SPECIFICATION

Smooth solid-wall pipes of PP for non-pressure underground drainage and sewerage, according to guideline BRL 52202.

The products given in the table below are part of this product certificate.

The PP material has a high E-modulus.

Color pipes: red-brown (RAL 8023) or grey (RAL 7037).

Table 1 – Pipes

OD (mm)	SN8	SN8	SN8 With integrated socket	SN8 With integrated socket	SN16
S klasse	14	12,5	14	12,5	10,5
SDR klasse	29	26	29	26	22
110	x	x	x	x	x
125	x	x	x	x	x
160	x	x	x	x	x
200	x	x	x	x	x
250	x	x	x	x	x
315	x	x	x	x	x
400	x	x	x	x	x

OD = nominal outside diameter


MARKING

The products shall be marked with the KOMO®-mark.

The realization of the marks is as follows: clear, durable and indelible.

Location of the marks: on every pipe at intervals of not more than 2 m.

The pipes shall be marked with at least the following marks:

- KOMO word mark or logo ;
- certificate number;
- manufacturer's name or trade name;
- material designation 'PP';
- classification;
- nominal outside diameter and wall thickness in mm;
- production period or production code.

Marking with BRL 52202 is optional.

APPLICATION AND USE

The products are intended to be used in a plastic piping system for non-pressure underground drainage and sewerage.

Take into account the following installation guidelines:

- NEN-EN 1610 "Construction and testing of drains and sewers";
- the processing guidelines of the producer.

PROCESSING GUIDELINES

The supplier shall provide processing instructions.

The instructions drawn up in the Dutch language shall contain specific information with regard to storage, transport and installation of the products.

PP pipes for non-pressure underground drainage and sewerage

TIPS FOR THE USER

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).

If on the basis of the foregoing you decide to proceed to rejection, please contact

- Dyka B.V.

And if necessary,

- Kiwa Nederland B.V.

Carry out the storage, transport and processing in accordance with the provisions included in this product certificate and/or documents of the certificate holder.

LIST OF DOCUMENTS

NEN-EN 1610: 2015 Construction and testing of drains and sewers

