



## Product certificate K6030-30

Issued 2025-04-15

Replaces K6030-29

Page 1 of 7

### WC-pans

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Geberit International AG

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019,

which covers the requirements of

EN 997:2012 + A1: 2015 "WC pans with integral trap".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

289/171015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
info@kiwa.nl  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

|  |                        |
|--|------------------------|
| Geberit International AG                             | Geberit B.V.           |
| Schachenstrasse 77                                   | Fultonbaan 15          |
| CH-8645 JONA   | 3439 NE NIEUWEGEIN     |
| Switzerland  | The Netherlands        |
| Tel. +41 (0) 43 351 12 36                            | Tel. (+31) 030-6057734 |
| Fax +41 (0) 55 221 6747                              | info.nl@geberit.com    |
| Info.nl@geberit.com                                  |                        |
| <a href="http://www.geberit.com">www.geberit.com</a> |                        |

**Certification process  
consists of initial and  
regular assessment of:**

- quality system
- product

## WC-pans

---

### Technical specification

The products mentioned below belong to this certificate.

The products are in compliance with the requirements of EN 997:2012 + A1:2015. Unless otherwise stated the products specified below:

- are classified as Class 1 products,
- are intended for connection with a (concealed) flushing cistern,
- are glazed in glossy white.

#### (a) Pedestal WC-pans with a nominal flushing volume of 6 liters

##### Geberit 300 Basic

|              |   |
|--------------|---|
| S8002800000G | wash-out WC-pan 95, vertical outlet (type AO)                     |
| S8002900000G | wash-out WC-pan 95, horizontal outlet (type PK)                   |
| S8000100000G | wash-out WC-pan 96, vertical outlet (type AO)                     |
| S8000200000G | wash-out WC-pan 96, horizontal outlet (type PK)                   |
| S8000300000G | wash-down WC-pan 94, horizontal outlet (type PK)                  |
| 501.980.00.1 | wash-out WC-pan 96 Rimfree, horizontal outlet (type PK)           |
| 501.980.00.8 | wash-out WC-pan 96 Rimfree, horizontal outlet (type PK), KeraTect |
| 501.981.00.1 | wash-out WC-pan 96 Rimfree, vertical outlet (type AO)             |
| 501.981.00.8 | wash-out WC-pan 96 Rimfree, vertical outlet (type AO), KeraTect   |

##### Geberit 300 Comfort

|              |   |
|--------------|---|
| S8002600000G | wash-out WC-pan 73, vertical outlet (type AO), raised model +6 cm                     |
| S8002700000G | wash-out WC-pan 73, horizontal outlet (type PK), raised model +6 cm                   |
| S8000700000G | wash-out WC-pan 93, vertical outlet (type AO), raised model +6 cm                     |
| S8000600000G | wash-out WC-pan 93, horizontal outlet (type PK), raised model +6 cm                   |
| S8000900000G | wash-out WC-pan 84, vertical outlet (type AO), raised model +10 cm                    |
| S8000800000G | wash-out WC-pan 84, horizontal outlet (type PK), raised model +10 cm                  |
| 501.982.00.1 | wash-out WC-pan 93 Rimfree, horizontal outlet (type PK), raised model +6 cm           |
| 501.982.00.8 | wash-out WC-pan 93 Rimfree, horizontal outlet (type PK), raised model +6 cm, Keratect |
| 501.983.00.1 | wash-out WC-pan 93 Rimfree, vertical outlet (type AO), raised model +6 cm             |
| 501.983.00.8 | wash-out WC-pan 93 Rimfree, vertical outlet (type AO), raised model +6 cm, KeraTect   |

##### Geberit Renova

|              |   |
|--------------|---|
| 500.480.01.2 | wash-down WC-pan Rimfree, horizontal outlet (type PK)           |
| 500.480.01.8 | wash-down WC-pan Rimfree, horizontal outlet (type PK), KeraTect |
| 500.399.01.2 | wash-down WC-pan Rimfree, vertical outlet                       |
| 500.399.01.8 | wash-down WC-pan Rimfree, vertical outlet, KeraTect             |
| 501.984.00.1 | wash-out WC-pan Rimfree, horizontal outlet (type PK)            |
| 501.984.00.8 | wash-out WC-pan Rimfree, horizontal outlet (type PK), KeraTect  |
| 501.985.00.1 | wash-out WC-pan Rimfree, vertical outlet (type AO)              |
| 501.985.00.8 | wash-out WC-pan Rimfree, vertical outlet (type AO), KeraTect    |

##### Geberit Selnova

|              |   |
|--------------|---|
| 500.399.01.1 | wash-down WC-pan Rimfree, vertical outlet |
| 500.399.01.7 | wash-down WC-pan Rimfree, vertical outlet |

##### Geberit Bastia

|              |  |
|--------------|--|
| 502.990.00.1 | wash-out WC-pan, horizontal outlet (type PK) |
| 502.991.00.1 | wash-out WC-pan, vertical outlet (type SV)   |

## WC-pans

---

### (b) Wall-hung WC-pans with a nominal flushing volume of 6 liters

#### Geberit 280 Basic

S8P01400000G WC pack, wash-down WC-pan with lavatory seat S8H51422000

#### Geberit 300 Basic

S8200100000G wash-down WC-pan 22  
S8200100001G wash-down WC-pan 22, KeraTect  
S8200200000G wash-out WC-pan 12  
S8200200001G wash-out WC-pan 12, KeraTect  
S8202900000G wash-down WC-pan 48, compact model  
503.111.00.1 wash-down WC-pan TurboFlush  
503.111.00.8 wash-down WC-pan TurboFlush, KeraTect  
503.112.00.1 WC pack, wash-down WC-pan TurboFlush, compact model with lavatory seat 852.103.11.0

#### Geberit 300 Comfort

S8240200000G wash-down WC-pan, extended model  
S8201200000G wash-down WC-pan, raised model +5 cm  
S8203605000G wash-down WC-pan Rimfree, extended model  
S8203605001G wash-down WC-pan Rimfree, extended model, KeraTect

#### Geberit Renova

203050000 wash-down WC-pan Rimfree  
203050600 wash-down WC-pan Rimfree, KeraTect  
203040000 wash-down WC-pan  
203040600 wash-down WC-pan, KeraTect  
203040010 wash-down WC-pan, Manhattan  
203040068 wash-down WC-pan, Pergamon  
203040080 wash-down WC-pan, Bahama Beige  
00392310000 wash-down WC-pan  
500.802.00.1 WC pack, wash-down WC-pan with lavatory seat 573010000  
503.061.00.1 wash-down WC-pan TurboFlush  
503.061.00.8 Wash-down WC-pan TurboFlush, KeraTect  
503.062.00.1 WC pack, wash-down WC-pan TurboFlush, compact model with lavatory seat 852.103.11.0

#### Geberit Renova Comfort

500.693.01.1 wash-down WC-pan Rimfree, extended model,  
500.693.01.8 wash-down WC-pan Rimfree, extended model, KeraTect  
500.819.00.1 WC pack, wash-down WC-pan Rimfree, extended model with lavatory seat 500.680.01.1  
500.694.01.1 wash-down WC-pan Rimfree, raised model +5 cm  
500.694.01.8 wash-down WC-pan Rimfree, raised model +5 cm, KeraTect  
500.694.00.1 wash-down WC-pan Rimfree, raised model +5 cm

## WC-pans

---

### Geberit Renova Compact

|              |  |
|--------------|--|
| 500.377.01.1 | wash-down WC-pan Rimfree, compact model  |
| 500.377.01.8 | wash-down WC-pan Rimfree, compact model, KeraTect                                |
| 500.803.00.1 | WC pack, wash-down WC-pan Rimfree, compact model with lavatory seat 500.836.01.1 |
| 203245000    | wash-down WC-pan, compact model  |
| 203245600    | wash-down WC-pan, compact model, KeraTect  |
| 500.804.00.1 | WC pack, wash-down WC-pan, compact model, KeraTect with lavatory seat 573015000  |

### Geberit Selnova

|              |   |
|--------------|---|
| 500.694.01.2 | wash-down WC-pan Rimfree, raised model +5 cm  |
| 503.082.00.1 | wash-down WC-pan TurboFlush   |
| 503.083.00.1 | WC pack, wash-down WC-pan TurboFlush, compact model with lavatory seat 500.335.01.1 |

### Geberit Renova Plan

|           |                                    |
|-----------|------------------------------------|
| 202170000 | wash-down WC-pan Rimfree           |
| 202170600 | wash-down WC-pan Rimfree, KeraTect |

### Geberit Smyle Square

|              |   |
|--------------|---|
| 500.208.01.1 | wash-down WC-pan Rimfree  |
| 500.208.01.8 | wash-down WC-pan Rimfree, KeraTect                                |
| 500.683.01.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 500.687.01.1 |
| 500.685.01.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 500.688.01.2 |
| 500.379.01.1 | wash-down WC-pan Rimfree, compact model                           |
| 500.379.01.8 | wash-down WC-pan Rimfree, compact model, KeraTect                 |

### Geberit iCon

|              |  |
|--------------|--|
| 204000000    | wash-down WC-pan   |
| 204000600    | wash-down WC-pan, KeraTect   |
| 204060000    | wash-down WC-pan Rimfree   |
| 204060600    | wash-down WC-pan Rimfree, KeraTect   |
| 500.784.01.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 500.835.01.1              |
| 501.661.00.1 | wash-down WC-pan Rimfree   |
| 501.661.00.8 | wash-down WC-pan Rimfree, KeraTect   |
| 501.663.00.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 501.666.01.1              |
| 501.663.JT.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 245.464.JT.1, matte white |
| 501.664.00.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 501.666.01.1              |
| 501.664.00.8 | WC pack, wash-down WC-pan Rimfree, KeraTect with lavatory seat 501.666.01.2    |
| 502.380.00.1 | wash-down WC-pan Rimfree, compact model  |
| 502.380.00.8 | wash-down WC-pan Rimfree, compact model, KeraTect                              |
| 502.381.00.1 | WC pack, wash-down WC-pan Rimfree with lavatory seat 501.666.01.1              |
| 503.044.00.1 | Wash-down WC-pan TurboFlush  |
| 503.044.00.8 | Wash-down WC-pan TurboFlush, KeraTect  |
| 503.045.00.1 | WC pack, wash-down WC-pan TurboFlush with lavatory seat 501.660.01.1           |
| 503.045.00.8 | WC pack, wash-down WC-pan TurboFlush KeraTect with lavatory seat 501.660.01.1  |
| 503.046.00.1 | WC pack, wash-down WC-pan TurboFlush with lavatory seat 501.660.01.1           |
| 503.046.00.8 | WC pack, wash-down WC-pan TurboFlush KeraTect with lavatory seat 501.660.01.1  |

## WC-pans

---

|              |  |
|--------------|--|
| 503.047.00.1 | Wash-down WC-pan TurboFlush, compact model   |
| 503.047.00.8 | Wash-down WC-pan TurboFlush, compact model, KeraTect   |
| 503.048.00.1 | WC pack, wash-down WC-pan TurboFlush, compact model with lavatory seat 501.660.01.1            |
| 503.048.00.8 | WC pack, wash-down WC-pan TurboFlush, compact model, KeraTect with lavatory seat 501.660.01.1  |
| 503.049.JT.1 | WC pack, wash-down WC-pan TurboFlush, compact model White Matt with lavatory seat 245.464.JT.1 |

### Geberit Acanto

|              |  |
|--------------|--|
| 502.717.00.1 | wash-down WC-pan TurboFlush  |
| 502.717.00.8 | wash-down WC-pan TurboFlush, KeraTect  |
| 502.718.00.1 | pack, wash-down WC-pan TurboFlush with lavatory seat 502.719.01.1              |
| 502.718.00.8 | WC pack, wash-down WC-pan TurboFlush, KeraTect with lavatory seat 502.719.01.1 |
| 502.774.00.1 | WC pack, wash-down WC-pan TurboFlush with lavatory seat 502.719.01.1           |
| 502.774.00.8 | WC pack, wash-down WC-pan TurboFlush, KeraTect with lavatory seat 502.719.01.1 |
| 503.079.00.1 | wash-down WC-pan TurboFlush  |
| 245.986.00.1 | wash-down WC-pan TurboFlush  |
| 502.996.00.1 | WC pack, wash-down WC-pan TurboFlush with lavatory seat 501.875.00.1           |

WC-pans

---

**(c) Wall-hung WC-pans with a nominal flushing volume of 5 and 6 liters****Geberit 280 Basic**

S8P01500000G WC pack, wash-down WC-pan with lavatory seat S8H51424000

**Geberit 300 Basic**

S8254700000G wash-down WC-pan 28 Rimfree

S8254700001G wash-down WC-pan 28 Rimfree, KeraTect

S8P00090000G WC pack, wash-down WC-pan 28 Rimfree with lavatory seat S8H51204000

**Geberit 300 Comfort**

S8240500000G wash-down WC-pan Rimfree, extended model

S8240500001G wash-down WC-pan Rimfree, extended model, KeraTect

**Geberit Renova**

500.800.00.1 WC pack, wash-down WC-pan Rimfree with lavatory seat S8H51204000

**Geberit Renova Compact Square**

206145000 wash-down WC-pan, compact model

206145600 wash-down WC-pan, compact model, KeraTect

**Geberit Renova Plan**

202150000 wash-down WC-pan

202150600 wash-down WC-pan, KeraTect

500.378.01.1 wash-down WC-pan Rimfree

500.378.01.8 wash-down WC-pan Rimfree, KeraTect

500.816.00.1 WC pack, wash-down WC-pan Rimfree with wc seat 500.692.01.1

**Geberit iCon**

204030000 wash-down WC-pan, compact model

204030600 wash-down WC-pan, compact model, KeraTect

204070000 wash-down WC-pan Rimfree, compact model

204070600 wash-down WC-pan Rimfree, compact model, KeraTect

**Geberit iCon Square**

201950000 wash-down WC-pan Rimfree

201950600 wash-down WC-pan Rimfree, KeraTect

**Geberit XENO<sup>2</sup>**

500.500.01.1 wash-down WC-pan Rimfree, KeraTect

**Geberit Acanto**

500.600.01.2 wash-down WC-pan Rimfree

500.600.01.8 wash-down WC-pan Rimfree, KeraTect

## WC-pans

---

### Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

### Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark can be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;
- the letter A and or C which indicates the type of flushing device to be connected:
  - A intended for connection with a cistern (or concealed cistern)
  - C intended for connection with a pressure flush valve.

Product(s) with a nominal flush volume of 4 and / or 5 litres are entitled to be marked with only word mark Kiwa.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat
- on one of the sides of the flushing rim
- under the rim of the WC-pan

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans
- additional marking or labelling as specified in the European Standard EN997.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Geberit International AG
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.