

AR 192

February 2019

validated Dutch version

Approval requirement 192

Elastomeric seals in gas appliances and gas installations



**Trust
Quality
Progress**

Foreword

This GASTEC QA (Dutch version) approval requirement has been approved by the Board of Experts product certification GASTEC QA, in which relevant parties in the field of gas related products are represented. This Board of Experts supervises the certification activities and where necessary require the GASTEC QA approval requirement to be revised. All references to Board of Experts in this GASTEC QA approval requirement pertain to the above mentioned Board of Experts.

This GASTEC QA Approval requirement (Dutch version) will be used by Kiwa Nederland BV in conjunction with the GASTEC QA general requirements and the KIWA regulations for certification.

This approval requirement is a translation from the Dutch validated version and can only be used as a supporting document.

Kiwa Nederland B.V.

Wilmersdorf 50
Postbus 137
7300 AC Apeldoorn

Tel. 088 998 33 93
Fax 088 998 34 94
info@kiwa.nl
www.kiwa.nl

© 2017 Kiwa N.V.

All rights reserved. No part of this book may be reproduced, stored in a database or retrieval system, or published, in any form or in any way, electronically, mechanically, by print, photoprint, microfilm or any other means without prior written permission from the publisher.

The use of this evaluation guideline by third parties, for any purpose whatsoever, is only allowed after a written agreement is made with Kiwa to this end

Contents

Foreword		1
Contents		2
1	Introduction	3
1.1	General	3
1.2	Scope	3
2	Definitions	4
3	Product requirements	5
3.1	General	5
4	Marking	6
4.1	Marking	6
5	Quality system requirements	7
6	Summary of tests	8
6.1	Test matrix	8
7	List of referenced documents and source	9
7.1	Standards / normative documents	9
7.2	Source	9

1 Introduction

1.1 General

This GASTEC QA approval requirement in combination with the GASTEC QA general requirements include all relevant requirements, which are adhered by Kiwa as the basis for the issue and maintenance of a GASTEC QA certificate for elastomeric seals in gas appliances and gas installations.

This GASTEC QA Approval requirements replace the GASTEC QA approval requirements 192 "Elastomeric seals in gas appliances and gas installations" dated August 1997 and amendment A1 of March 2012

List of changes:

- Update to the new format of GASTEC QA approval requirements
- All general requirements have been removed and included in the document GASTEC QA general requirements
- Textual changes
- Changes in paragraphs

The product requirements have not changed.

1.2 Scope

This approval requirement is based on EN 549. This European Standard specifies the requirements for rubber materials used for gas appliances and gas indoor installations in contact with 1st, 2nd and 3rd family gases according to EN 437 with operating temperatures between 0 °C and +650 °C and in special cases between -15 °C and +50 °C. Tests are also included for applications that use membranes in the range -20 °C to +80 °C and seals in the range -20 °C to +150 °C. For temperatures outside these ranges, the user should contact the manufacturer regarding the suitability of the rubber material.

2 Definitions

In this approval requirement, the following terms and definitions are applicable:

Board of Experts: The Board of Experts Gastec QA

3 Product requirements

3.1 General

The product shall meet the requirements of EN 549: Rubber materials for seals and diaphragms for gas appliances and gas equipment.

4 Marking

4.1 Marking

Additional to the marking as described in EN 549, the rubber seals or sealing package upon which the marking cannot be applied, shall be clearly and durably marked with the GASTEC QA word mark or logo.

5 Quality system requirements

The supplier shall make a risk assessment of the product and production process according to chapter 3.1.1.1 and 3.1.2.1 of the GASTEC QA general requirements. The risk assessments shall be available to Kiwa for review.

6 Summary of tests

This chapter contains a summary of tests to be carried out during:

- The initial product assessment;
- The periodic product verification;

6.1 Test matrix

Description of requirement	Clause	Test within the scope of		
		Initial product assessment	Product verification	
			Verification	Frequency
Manufacturers declared information	EN 549: 4	X	X	1 x per year
Classification (min. klasse A2)	EN 549: 5	X	X	1 x per year
General	EN 549: 6.1	X	X	1 x per year
Physical and chemical properties of rubber materials used for the manufacture of seals				
Hardness	EN 549: 6.2	X	X	1 x per year
Tensile strength	EN 549: 6.2	X	X	1 x per year
Elongation at break	EN 549: 6.2	X	X	1 x per year
Compression set	EN 549: 6.2	X		
Resistance to aging	EN 549: 6.2	X		
Resistance to gas	EN 549: 6.2	X		
Resistance to lubricants	EN 549: 6.2	X		
Resistance to ozone	EN 549: 6.2	X		
Physical and chemical properties of rubber material used for the manufacture of diaphragms				
Hardness	EN 549: 6.3	X	X	1 x per year
Tensile strength	EN 549: 6.3	X	X	1 x per year
Elongation at break	EN 549: 6.3	X	X	1 x per year
Compression set	EN 549: 6.3	X		
Resistance to aging	EN 549: 6.3	X		
Resistance to gas	EN 549: 6.3	X		
Resistance to lubricants	EN 549: 6.3	X		
Tensile strength	EN 549: 6.3	X		

7 List of referenced documents and source

7.1 Standards / normative documents

All normative references in this Approval Requirement refer to the editions of the standards as mentioned in the list below.

EN 437: 2003+A1: 2009

Test gases- test pressure – appliance categories

EN 549: 1995

Rubber materials for seals and diaphragms for gas appliances and gas equipment

7.2 Source

Parts of the text of this approval requirement have been based on EN 549.