



Product certificate K76838/04

Issued 2022-02-1
Replaces K76838/03
Page 1 of 3

Flushing cisterns

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Canakcilar Seramik A.S.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K620 "Flushing cisterns" dated 15-09-2019.

Which covers the requirements of

EN14055: 2010 + A1: 2015 "WC and urinal flushing cisterns" June 2015.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

288171015

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.nl

Company
Canakcilar Seramik A.S.
Cukur Mevki
67670 GOKCEBEY ZONGULDAK
Turkey
Tel. +90 372 535 51 34
www.creavit.com.tr



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Flushing cisterns

Technical specification

The products mentioned below belong to this certificate

Concealed flushing cisterns using a flush volume of 6 litres

Flushing cistern configured in frame construction, with side connection, provided with flush pipe and equipped with:

- Float valve *Fluidmaster type 747E16B (with brass threaded connection)*
- Flushing device *Oliveira & Irmao, type Diamante* with interrupting flush; or Flushing device *Creavit GR.03.002.01*
- flexible hose MRG or Parigi, type DN8
- angled connecting cock Arco, type A-80 G $\frac{1}{2}$ "x G $\frac{3}{8}$ "

In various designs with the following product numbers:

- No. GR5001: Metal frame for wall hung pans
- No. GR5002: Metal frame without legs for wall hung pans
- No. GR5003: "Wall-faced model" for wall hung pans
- No. GR5004: "Floor Mounted Model" for wall hung Pans
- No. GR5005: "Double back to back cistern model" for wall hung pans

Low level flushing cistern, with side connection, provided with flush pipe (elbow) and equipped with:

- Float valve *Fluidmaster type 747E16B (with brass threaded connection)*
- Flushing device *Oliveira & Irmao, type Diamante* with interrupting flush; or Flushing device *Creavit GR.03.002.01*
- flexible hose MRG or Parigi type, DN8
- angled connecting cock Arco, type A-80 G $\frac{1}{2}$ "x G $\frac{3}{8}$ "

In various designs with the following product numbers:

- No. GR5006 For squatting wc pans
- No. GR5007 For back-to-wall independent wc pans
- No. GR5008 For children wc pans

Flushing cisterns

Application and use

The flushing cisterns are intended to operate in combination with WC-pans as hygienical flushing devices to be connected to drinking water installations with a maximum working pressure of 1000 kPa and a maximum water temperature of 25°C.

Flushing cisterns with an affective flushing volume of $6 \pm 0,2$ Litres are designed for connection to WC-pans of the type 6A (see also Kiwa BRL-K619).

Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- on the cisterns on the left side, right side or front or on the inside above water level;
- on the body of the float operated valve (fitting valve).

Compulsory specifications:

name or mark of the manufacturer

- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

Method of marking:

- indelible;
- visible after assembly (for concealed flushing cisterns after demounting of the control panel).

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Canakcilar Seramik A.S.
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.